

ΔΗΜΟΣΙΕΥΣΕΙΣ ΣΕ ΕΠΙΣΤΗΜΟΝΙΚΑ ΠΕΡΙΟΔΙΚΑ

- Abdollahzadeh G, Damalas CA, Sharifzadeh MS, Ahmadi-Gorgi H (2016) Selecting strategies for rice stem borer management using the analytic hierarchy process (AHP). *Crop Protection* 84:27-36.
- Abdollahzadeh G, Damalas CA, Sharifzadeh MS, Ahmadi-Gorgi H (2018) Attitude towards and intention to use biological control among citrus farmers in Iran. *Crop Protection* 108:95-101.
- Abdollahzadeh G, Sharifzadeh MS, Damalas CA (2015) Perceptions of the beneficial and harmful effects of pesticides among Iranian rice farmers influence the adoption of biological control. *Crop Protection* 75:124-131.
- Abdollahzadeh G, Sharifzadeh MS, Damalas CA (2016) Motivations for adopting biological control among Iranian rice farmers. *Crop Protection* 80:42-50.
- Aggelopoulos S, Pavloudi A., Galanopoulos K. 2011. Geographical development of agricultural entrepreneurship: The case of pig farming in Greece. *Journal of Development and Agricultural Economics* 3(2), 48-55.
- Aggelopoulos S, Karelakis C., Tsantopoulos G., Pavloudi A., Seitanis P. (2016). Farmers' perceptions and attitudes towards the development of the sheep and goat sector in the Greek region of Evros. *SpringerPlus* 5:1134 DOI 10.1186/s40064-016-2811-3.
- Aggelopoulos, S., Galanopoulos, K., Tabakis, N. 2011. Financing of Sheep Farms for Agricultural Sustainable Development: The Case of Greece. *Journal of Environmental Protection and Ecology*, 12 (3A): 1433-1442
- Alba J.M., Schimmel B.C. J., Glas J., Ataíde L., Pappas M., Villarroel C.A., Schuurink R.C., Sabelis M.W., Kant M.R. 2014. Spider mites suppress tomato defenses downstream of jasmonate and salicylate independently of hormonal crosstalk. *New Phytologist*, DOI: 10.1111/nph.13075
- Alexopoulos A., M. Leotsinidis, V. Schinas and X.G. Kondakis. Assessment of the possible mutagenic potential in drinking water samples from areas in SW Greece using the Ames microsome mutagenic assay. *Water, Air and Soil poll.* 1999 (114): 67-83.
- Alexopoulos, A., Kimbaris, C.A., Plessas, S., Mantzourani, I., Theodoridou, I., Stavropoulou, E., Polissiou, M.G., & Bezirtzoglou, E. (2011). Antibacterial activities of essential oils from eight Greek aromatic plants against clinical isolates of *Staphylococcus aureus*. *Anaerobe*, 17, 395-402.
- Alexopoulos, A., Plessas, S., Abas, Z., Lagka, V., Zdragas, A., & Bezirtzoglou, E. (2013). Occurrence and Antibiotic Susceptibility Profile of *Streptococcus* spp. Isolated from Ewe's Milk. *Journal of Food Science and Engineering*, 3(12), 657.
- Alexopoulos, A., Plessas, S., Ceciu, S., Lazar, V., Mantzourani, I., Voidarou, C., & Bezirtzoglou, E. (2013). Evaluation of ozone efficacy on the reduction of microbial population of fresh cut lettuce (*Lactuca sativa*) and green bell pepper (*Capsicum annuum*). *Food Control*, 30(2), 491-496.

- Alexopoulos, A., Plessas, S., Kimbaris, A., Varvatou, M., Mantzourani, I., & Fournomiti, M. (2017). Mode of antimicrobial action of *Origanum vulgare* essential oil against clinical pathogens. *Current Research in Nutrition and Food Science Journal*, 5(2), 109–115.
- Alexopoulos, A., Plessas, S., Kourkoutas, Y., Stefanis, C., Vavias, S., Voidarou, C., & Bezirtzoglou, E. (2017). Experimental effect of ozone upon the microbial flora of commercially produced dairy fermented products. *International Journal of Food Microbiology*, 246, 5–11.
- Alexopoulos, A., Plessas, S., Voidarou, C., Noussias, H., Stavropoulou, E., Mantzourani, I., & Bezirtzoglou, E. (2011). Microbial ecology of fish species ongrowing in Greek sea farms and their watery environment. *Anaerobe*, 17(6), 264–266.
- Alexopoulos, A., Tzatzimakis, G., Bezirtzoglou, E., Plessas, S., Stavropoulou, E., Sinapis, E., & Abas, Z. (2011). Microbiological quality and related factors of sheep milk produced in farms of NE Greece. *Anaerobe*, 17(6), 276–279.
- Alexopoulos, A., Voidarou, C., Stefanis, C., Papadopoulos, I., Vavias, S., Tsiodsias, A., & Bezirtzoglou, E. (2006). Antibiotic resistance profiles and integrons in Enterobacteriaceae from the riverside of Evros-Ardas with respect to chemical and waste pollution. *Microbial Ecology in Health and Disease*, 18(3–4), 170–176.
- Ali sandrakis, E., Kibaris, A.C., Tarantilis, P.A., Harizanis, P.C., & Polissiou M.G. (2005). Flavour compounds of Greek cotton honey. *Journal of the Science of Food and Agriculture* 85 (9), 1444-1452.
- Alix A., Lewis G., Broufas G., Coulson M., DelpuechE J.M., Dinter A., Hollrigl Rosta A., Musriska A., Smagghe G. and G. Weyman, 2012. Level of protection and Testing Scheme. In ESCORT 3 Linking Non Target Arthropod Testing and Risk Assessment with Protection Goals. Editors: Anne Alix, Frank Bakker, Katie Barrett, Carsten A. Brühl, Mike Coulson, Simon Hoy, Jean Pierre Jansen, Paul Jepson, Gavin Lewis, Paul Neumann, Dirk Süßenbach, Peter van Vliet. Society of Environmental Toxicology and Chemistry (SETAC). 136pp
- Alizadeh, H., Behboudi, K., Amadzadeh, M., Javan-Nikkhah, M., Zamioudis, C., Pieterse, C.M.J., and Bakker, P.A.H.M. (2013). Induced systemic resistance in cucumber and *Arabidopsis thaliana* by the combination of *Trichoderma harzianum* Tr6 and *Pseudomonas* sp. Ps14. *Biological Control*, 65, 14-23.
- Allahyari MS, Damalas CA, Ebadattalab M (2016) Adoption of integrated pest management for olive fruit fly (*Bactrocera oleae*) in Roudbar County, Iran. *Crop Protection* 84:113-120.
- Allahyari MS, Damalas CA, Ebadattalab M (2017) Farmers' technical knowledge about integrated pest management (IPM) in olive production. *Agriculture* 7:101.
- Almaliotis D., N. Karagiannidis, S. Bladenopoulou, A. Papadopoulos and C. Chatzissavvidis. (2005). Nutritional status of olive trees in relation to fruit yield. *Journal of Balkan Ecology*, 8, 159-165.
- Almaliotis, D., Chatzissavvidis, C., Bladenopoulou, S. & Velemis, D. (2006). Nutritional status of maize in relation to crop yield at Vegoritis district in northern Greece. *Journal of Balkan Ecology*, 9, 71-76.

- Almaliotis, D., Chatzissavvidis, C., Bladenopoulou, S. & Velemis, D. (2006). Nutritional status of cotton in relation to crop yield at Thrace district in northern Greece. *Journal of Balkan Ecology*, 9, 77-82.
- Almaliotis, D., Chatzissavvidis, C., Marnasidis, S., Sotiropoulos, T. & Papadakis, I. (2007). The effect of different fertilizers on nutritional status and fruit quality of the clingstone peach cv. Andross. *Agrochimica*, 51, 244-253.
- Almaliotis, D., Karagiannidis, N., Chatzissavvidis, C., Sotiropoulos, T. & Bladenopoulou, S. (2008). Mycorrhizal colonization of table grapevines (cv. Victoria) and its relationship with certain soil parameters and plant nutrition. *Agrochimica*, LII- N.3, 129-136.
- Almaliotis, D., Velemis, D., Chatzissavvidis, C., Sotiropoulos, T. & Bladenopoulou, S. (2005). Sufficiency leaf nutrient levels of apple trees in relation to fruit yield. *Journal of Balkan Ecology*, 8, 151-157.
- Anastasiadis, I., Kimbaris, A.C., Kormpi, M., Polissiou, M.G. & Karanastasi, E. (2011). The effect of a garlic essential oil component and entomopathogenic nematodes on the suppression of *Meloidogyne javanica* on tomato. *Hellenic Plant Protection Journal*, 4 (1), 21-24.
- Andreadis, S.S. Vryzas, Z., Papadopoulou-Mourkidou, E., Savopoulou-Soultani, M., (2011). Cold tolerance of field-collected and laboratory reared larvae of *sesamia nonagrioides* (Lepidoptera: Noctuidae). *Cryo-Letters*, 32, 297-307.
- Andreadis, S.S. Vryzas, Z., Papadopoulou-Mourkidou, E., Savopoulou-Soultani, M., (2008). Age-dependent changes in tolerance to cold and accumulation of cryoprotectants in overwintering and non-overwintering larvae of European corn borer *Ostrinia nubilalis*. *Physiological entomology* 33, 365-371.
- Antoniadis V., F. Hatzis, D. Bachtsevanidis and S.D. Koutroubas. 2015. Phosphorus availability in low-P and acidic soils as affected by liming and P addition. *Communications in Soil Science and Plant Analysis* 46 (10): 1288-1298.
- Antoniadis V., K. Damalidis and S.D. Koutroubas. 2012. Nitrogen and phosphorus availability to ryegrass in an acidic and limed zeolite-amended soil. *Agrochimica* 56 (6): 309-318.
- Antoniadis V., S.D. Koutroubas and S. Fotiadis. 2015. Nitrogen, phosphorus, and potassium availability in manure- and sewage sludge-applied soil. *Communications in Soil Science and Plant Analysis* 46 (3): 393-404.
- Antoniadis V., S.D. Koutroubas and S. Fotiadis. 2017. Phosphorus availability in *Lolium perenne* L. In acidic and limed soils. *Communications in Soil Science and Plant Analysis* 48(11): 1336-1342.
- Antoniadis V., V. Anagnostopoulou, K. Theodorou and S. D. Koutroubas. 2013. Development of a simplified model for nitrogen fertilizer recommendation for maize, wheat, and sunflower in Northern Greece. *Communications in Soil Science and Plant Analysis* 44: 62-79.
- Antoniadis, V., Paparnakis, A. & Chatzissavvidis, C. (2012). Boron behavior in apple plants in acidic and limed soil. *Journal of Plant Nutrition and Soil Science*, 176, 267-272.

- Antonopoulou, C., Dimassi, K., Therios, I., & Chatzissavvidis, C. (2017). Does dikegulac affect in vitro shoot proliferation and hyperhydricity incidence in olive explants? Horticultural Science, 45, 125-130.
- Antonopoulou, C., Dimassi, K., Therios, I., Chatzissavvidis, C. & Papadakis, I. (2007). The effect of Fe-EDDHA and of ascorbic acid on in vitro rooting of the peach rootstock GF-677 explants. Acta Physiologiae Plantarum, 29, 559-561.
- Antonopoulou, C., Dimassi, K., Therios, I., Chatzissavvidis, C., & Tsirakoglou, V. (2005). Inhibitory effects of riboflavin (Vitamin B2) on the in vitro rooting and nutrient concentration of explants of peach rootstock GF 677 (*Prunus amygdalus* × *P. persica*). Scientia Horticulturae, 106, 268-272.
- Arapatsakos, C., Galanopoulos, K., Koutroumanidis, T. 2004. Catalyst temperature difference in relation to carbon monoxide emissions in four-stroke engine. Journal of Engineering Technology, 21(2), 52-55.
- Aschonitis VG, Lithourgidis AS, Damalas CA, Antonopoulos VZ (2013) Modelling yields of non-irrigated winter wheat in a semi-arid Mediterranean environment based on drought variability. Experimental Agriculture 49:448-460.
- Ashoori D, Allahyari MS, Damalas CA (2017) Adoption of conservation farming practices for sustainable rice production among small-scale paddy farmers in northern Iran. Paddy and Water Environment 15:237-248.
- Avramaki, E., Chatzissavvidis, C. & Papadakis, I. (2006). Effects of different iron sources on mineral concentration in gardenia (*Gardenia jasminoides* Ellis) plants. Journal of Biological Research, 6, 227-230.
- Avramaki, E., Chatzissavvidis, C. & Papadakis, I. (2007). Effects of NaCl and Fe-EDDHA concentration on salt toxicity and chemical composition of gardenia (*Gardenia jasminoides* Ellis) plants. Journal of Biological Research, 7, 99-104.
- Avramaki, E., Chatzissavvidis, C., Papadakis, I. & Therios, I. (2007). Enhancement of P, K, Ca, Zn and Fe accumulation in gardenia plants (*Gardenia jasminoides*) grown in nutrient solution as a function of P and Fe interaction. Bulgarian Journal of Agricultural Science, 13, 325-331.
- Azam, M., Khan, A. Q., Zafeiriou, E., & Arabatzis, G. (2016). Socio-economic determinants of energy consumption: An empirical survey for Greece. Renewable and Sustainable Energy Reviews, 57, 1556-1567.
- Bakker, P.A.H.M., Doornbos, R.F., Zamioudis, C., Berendsen, R.L., and Pieterse, C.M.J. (2013). Induced systemic resistance and the rhizosphere microbiome. Plant Pathology Journal, 29, 136-143.
- Bartzialis, D., Galanopoulos, K. 2005. An Economic Appraisal of Narrow Row Cotton Production. Agricoltura Mediterranea, 135 (1), 10-18.
- Batsoulis, A.N., Siatis, N.G., Kimbaris, A.C., Alissandrakis, E.K., Pappas, C.S., Tarantilis, P.A., Harizanis, P.C., & Polissiou M.G. (2005). FT-Raman spectroscopic simultaneous determination of fructose and glucose in honey. Journal of Agricultural and Food Chemistry, 53 (2), 207-210.

- Berendsen, R.L., van Verk, M.C., Stringlis, I.A., Zamioudis, C., Tommassen, J., Pieterse, C.M.J., and Bakker, P.A.H.M. (2015). Unearthing the genomes of plant-beneficial *Pseudomonas* model strains WCS358, WCS374 and WCS417. *BMC Genomics*, 16, 539.
- Berzsenyi Z, Tokatlidis IS, 2012. Density-dependence rather maturity determines hybrid selection in dryland maize production. *Agronomy Journal*, 104:331-336.
- Bezirtzoglou, E., Alexopoulos, A., & Voidarou, C. (2008). Apparent antibiotic misuse in environmental ecosystems and food. *Microbial Ecology in Health and Disease*, 20(4), 197–198.
- Bezirtzoglou, E., Alexopoulos, A., Dimitrellou, D., Theodoridou, I., Koutinas, A., & Kourkoutas, Y. (2008). Microbial Risk Assessment in the Beverage Industry During Experimental Exploitation of *Klebsiella Oxytoca*. *International Journal of Infectious Diseases*, 12, e208–e209.
- Bezirtzoglou, E., Alexopoulos, A., Plessas, S., Abas, Z., Lagka, V., & Zdragas, A. (2013). Occurrence and Antibiotic Susceptibility Profile of *Streptococcus* spp. Isolated from Ewe's Milk. *Microbial Ecology in Health & Disease*, 24.
- Bezirtzoglou, E., Cretoiu, S.-M., Moldoveanu, M., Alexopoulos, A., Lazar, V., & Nakou, M. (2008). A quantitative approach to the effectiveness of ozone against microbiota organisms colonizing toothbrushes. *Journal of Dentistry*, 36(8), 600–605.
- Bezirtzoglou, E., Maipa, V., Chotoura, N., Apazidou, E., Tsiodsias, A., Voidarou, C., & Alexopoulos, A. (2006). Occurrence of *Bifidobacterium* in the intestine of newborns by fluorescence in situ hybridization. *Comparative Immunology, Microbiology and Infectious Diseases*, 29(5–6), 345–352.
- Bezirtzoglou, E., Voidarou, C., Stavropoulou, E., Kourkoutas, Y., & Alexopoulos, A. (2016) Emerging Antibiotic Resistance in Honey as a Hazard for Human Health. *J Bacteriol Mycol Open Access*, 2(1), 00012.
- Bladenopoulos K.B. and S.D. Koutroubas. 2003. Influence of autumn nitrogen fertilization and climate on winter barley in Greece. *Agricoltura Mediterranea* 133:202-210.
- Broufas G.D. and D.S. Koveos, 2000. Effect of different pollens on development, survivorship and reproduction of *Euseius finlandicus* (Acari: Phytoseiidae). *Environmental Entomology* 29: 743-749
- Broufas G.D. and D.S. Koveos, 2000. Threshold temperature for post-diapause development and degree-days to hatching of winter eggs of the red spider mite *Panonychus ulmi* (Acari: Tetranychidae) in northern Greece. *Environmental Entomology* 29: 710-713.
- Broufas G.D. and D.S. Koveos, 2001. Cold hardiness in a strain of the predatory mite *Euseius* (*Amblyseius*) *finlandicus* (Acari: Phyoseiidae) from northern Greece. *Annals of Entomological Society of America* 94: 82-90.
- Broufas G.D. and D.S. Koveos, 2001. Rapid cold hardening in *Euseius* (*Amblyseius*) *finlandicus* (Acari: Phytoseiidae). *Journal of Insect Physiology* 47:699-708.
- Broufas G.D., M.L. Pappas and D.S. Koveos 2009. Effect of relative humidity on reproduction, longevity and ovarian maturation of the tephritid fly *Bactocera* (*Dacus*) *oleae*. *Annals of the Entomological Society of America* 102(1): 70-75.

- Broufas G.D., M.L. Pappas, G. Vassiliou and D.S. Koveos, 2008. Toxicity of certain pesticides to the predatory mite *Euseius finlandicus* (Acari: Phytoseiidae). IOBC wprs Bulletin Vol. 35: 85-91.
- Broufas, G.D. and D.S. Koveos, 2001. Development, survivorship and reproduction of *Euseius finlandicus* (Acari: Phytoseiidae) at different constant temperatures. Experimental & Applied Acarology 25: 441-460.
- Broufas, G.D., 2002. Diapause induction and termination of the predatory mite *Euseius finlandicus* in peach orchards in northern Greece. Experimental & Applied Acarology 25: 921-932.
- Broufas, G.D., D.S. Koveos and D.I. Georgatzis, 2002. Overwintering sites and winter mortality of *Euseius finlandicus* (Acari: Phytoseiidae) in a peach orchard in northern Greece. Experimental & Applied Acarology 26: 1-21
- Broufas, G.D., M.L. Pappas, and D.S. Koveos, 2007. Development, survival and reproduction of the predatory mite *Kampimodromus aberrans* (Acari: Phytoseiidae) at different constant temperatures. Environmental Entomology 36(4): 657-665.
- Broufas, G.D., M.L., Pappas and D.S. Koveos, 2006. Effect of cold exposure and photoperiod on diapause termination of the predatory mite *Euseius finlandicus* (Acari: Phytoseiidae). Environmental Entomology 35 (5): 1216-1221.
- Carazo Rojas, E., Perez-Rojas, G., Pérez-Villanueva, M., Chinchilla-Soto, Chin-Pampillo, J.S., Aguilar-Mora, P., Alpízar-Marín, M., Masis-Mora, M., Rodríguez-Rodríguez, C. E., Vryzas, Z., (2018). Pesticide monitoring and ecotoxicological risk assessment in surface water bodies and sediments of a tropical agro-ecosystem. Environmental Pollution, 241, 800-809.
- Chatzicharisis, I., Thomidis, T., Tsipouridis, C., Papadopoulou-Mourkidou, E., Vryzas Z., (2012). Residues of six pesticides in fresh peach-nectarine fruits after preharvest treatment. Phytoparasitica, 40, 311-317.
- Chatzissavvidis C.A., Therios, I.N. & Antonopoulou, C. (2007). Effect of nitrogen source on olives growing in soils with high boron content. Australian Journal of Experimental Agriculture (σήμερα: Australian Society of Animal Production), 47, 1491-1497.
- Chatzissavvidis, C. & Therios, I. (2010). Response of four olive (*Olea europaea* L.) cultivars to six B concentrations: growth performance, nutrient status and gas exchange parameters. Scientia Horticulturae, 127, 29-38.
- Chatzissavvidis, C., Antonopoulou, C., Papadakis, I., Therios, I. & Dimassi, K. (2010). Effects of NAA and vitamin B2 on in vitro rooting of Citrus. Acta Agriculturae Scandinavica Section B-Plant Soil Science, 60, 189-192.
- Chatzissavvidis, C., Antonopoulou, C., Therios, I. & Dimassi, K. (2013). Responses of trifoliolate orange (*Poncirus trifoliata* (L.) Raf.) to continuously and gradually increasing NaCl concentration. Acta Botanica Croatica, 73, 275-280.
- Chatzissavvidis, C., Papadakis, I. & Therios, I. (2008). Effect of calcium on the ion status and growth performance of a citrus rootstock grown under NaCl stress. Soil Science and Plant Nutrition, 54, 910-915.

- Chatzissavvidis, C., Therios, I., Antonopoulou, C. & Dimassi, K. (2008). Effects of high boron concentration and scion-rootstock combination on growth and nutritional status of olive plants. *Journal of Plant Nutrition*, 31, 638-658.
- Chatzissavvidis, C., Veneti, G., Papadakis, I. & Therios, I. (2008). Effect of NaCl and CaCl₂ on the antioxidant mechanism of leaves and stems of the rootstock CAB-6P (*Prunus cerasus* L.) under in vitro conditions. *Plant Cell, Tissue & Organ Culture*, 95, 37-45.
- Chatzissavvidis, C.A., Therios I.N., & Molassiotis, A.N. (2005). Seasonal variation of nutritional status of olive plants as affected by boron concentration in nutrient solution. *Journal of Plant Nutrition*, 28, 309-321.
- Chatzoglou Th, Tokatlidis IS, 2012. Short communication. Decision on germplasm choice to apply breeding within a local population of common vetch is affected by crowding. *Spanish Journal of Agricultural Research*, 10: 752-755.
- Chouliaras, V., Tasioula-Margari, M., Chatzissavvidis, C., Therios, I. & Tsabolatidou, E. (2009). The effects of a seaweed extract in addition to nitrogen and boron fertilization on productivity, fruit maturation, leaf nutritional status and oil quality of the olive (*Olea europaea* L.) cultivar Koroneiki. *Journal of the Science of Food and Agriculture*, 89, 984-988.
- Cruz-Ramírez, A., Díaz-Triviño, S., Blilou, I., Grieneisen, V.A., Sozzani, R., Zamioudis, C., Miskolczi, P., Nieuwland, J., Benjamins, R., Dhonukshe, P., Caballero-Pérez, J., Horvath, B., Long, Y., Mähönen, A.P., Zhang, H., Xu, J., Murray, J.A.H., Benfey, P.N., Bako, L., Marée, A.F.M., and Scheres, B. (2012). A bistable circuit involving SCARECROW-RETINOBLASTOMA integrates cues to inform asymmetric stem cell division. *Cell*, 150, 1002-1015.
- Damalas C.A. and S.D. Koutroubas. 2014. Determinants of farmers' decisions on pesticide use in oriental tobacco: a survey of common practices. *International Journal of Pest Management* 60 (3): 224-231.
- Damalas C.A. and S.D. Koutroubas. 2016. Farmers' Exposure to Pesticides: Toxicity Types and Ways of Prevention. *Toxics (Editorial)* 4, 1; doi:10.3390.
- Damalas C.A. and S.D. Koutroubas. 2017. Farmers' training on pesticide use is associated with elevated safety behavior. *Toxics* 5(3): 19.
- Damalas C.A. and S.D. Koutroubas. 2018. Current status and recent developments in biopesticide use. *Agriculture* 8(1): 13.
- Damalas C.A., C. Alexoudis and S.D. Koutroubas. 2015. Common burdock (*Arctium minus*): a common weed of nonarable land in Orestiada, Greece. *Hellenic Plant Protection Journal* 8: 15-20.
- Damalas C.A., S.D. Koutroubas and S. Fotiadis. 2014. Occurrence of European field pansy (*Viola arvensis*) in Orestiada, Greece. *Hellenic Plant Protection Journal* 7: 25-29.
- Damalas C.A., S.D. Koutroubas and S. Fotiadis. 2018. Phenological development of natural populations of European field pansy (*Viola arvensis*) in a semi-arid Mediterranean environment. *Plant Species Biology* 33:212–220.

- Damalas C.A., S.D. Koutroubas and S. Fotiadis. 2019. Hydro-priming effects on seed germination and field performance of faba bean in spring sowing. *Agriculture* 9: 201.
- Damalas C.A., S.D. Koutroubas. 2018. Farmers' behaviour in pesticide use: A key concept for improving environmental safety. *Current Opinion in Environmental Science & Health* 4: 27-30.
- Damalas C.A., S.D. Koutroubas. 2019. Drivers of personal safety in agriculture: A Case study with pesticide operators. *Agriculture* 9: 34.
- Damalas C.A., T.K. Gitsopoulos, S.D. Koutroubas and I. Georgoulas. 2015. Annual grasses control with topramezone in mixture with als-inhibiting herbicides. *Planta Daninha* 33(3): 509-519.
- Damalas C.A., T.K. Gitsopoulos, S.D. Koutroubas, C. Alexoudis and I. Georgoulas. 2018. Weed control and selectivity in maize (*Zea mays L.*) with tembotrione mixtures. *International Journal of Pest Management* 64(1):11-18.
- Damalas CA (2008) Distribution, biology, and agricultural importance of *Galinsoga parviflora* (Asteraceae). *Weed Biology and Management* 8:147-153.
- Damalas CA (2009) Pyrithiobac reduces control of green foxtail (*Setaria viridis*) and bristly foxtail (*Setaria verticillata*) by propaquizafop. *Crop Protection* 28:616-618.
- Damalas CA (2009) Understanding benefits and risks of pesticide use. *Scientific Research and Essays* 4:945-949.
- Damalas CA (2011) Potential uses of turmeric (*Curcuma longa*) products as alternative means of pest management in crop production. *Plant Omics* 4:136-141.
- Damalas CA, Abdollahzadeh G (2016) Farmers' use of personal protective equipment during handling of plant protection products: determinants of implementation. *Science of the Total Environment* 571:730-736.
- Damalas CA, Alexoudis C, Koutroubas SD (2015) Common burdock (*Arctium minus*): a common weed of non-arable land in Orestiada, Greece. *Hellenic Plant Protection Journal* 8:15-20.
- Damalas CA, Dhima KV, Eleftherohorinos IG (2006) Control of early watergrass (*Echinochloa oryzoides*) and late watergrass (*Echinochloa phyllospadix*) with cyhalofop, clefoxydim, and penoxsulam applied alone and in mixture with broadleaf herbicides. *Weed Technology* 20:992-998.
- Damalas CA, Dhima KV, Eleftherohorinos IG (2008) Bispyribac-sodium efficacy on early watergrass (*Echinochloa oryzoides*) and late watergrass (*Echinochloa phyllospadix*) as affected by coapplication of selected rice herbicides and insecticides. *Weed Technology* 22: 622-627.
- Damalas CA, Dhima KV, Eleftherohorinos IG (2008) Morphological and physiological variation among species of the genus *Echinochloa* in northern Greece. *Weed Science* 56:416-423.
- Damalas CA, Eleftherohorinos (2001) Dicamba and atrazine antagonism on sulfonylurea herbicides used for johnsongrass (*Sorghum halepense*) control in corn (*Zea mays*). *Weed Technology* 15:62-67.

- Damalas CA, Eleftherohorinos IG (2011) Pesticide exposure, safety issues, and risk assessment indicators. International Journal of Environmental Research and Public Health 8:1402-1419.
- Damalas CA, Georgiou EB, Theodorou MG (2006) Pesticide use and safety practices among Greek tobacco farmers: A survey. International Journal of Environmental Health Research 16:339-348.
- Damalas CA, Gitsopoulos TK, Koutroubas SD, Alexoudis C, Georgoulas I (2017) Weed control and selectivity in maize (*Zea mays* L.) with tembotrione mixtures. International Journal of Pest Management 64:11-18.
- Damalas CA, Gitsopoulos TK, Koutroubas SD, Georgoulas I (2014) Annual grasses control with topramezone in mixture with ALS-inhibiting herbicides. *Planta Daninha* 33:509-519.
- Damalas CA, Hashemi SM (2010) Pesticide risk perception and use of personal protective equipment among young and old cotton growers in northern Greece. *Agrociencia* 44:363-371.
- Damalas CA, Khan M (2016) Farmers' attitudes towards pesticide labels: implications for personal and environmental safety. International Journal of Pest Management 62:319-325.
- Damalas CA, Koutroubas SD (2014) Determinants of farmers' decisions for pesticide use in oriental tobacco: a survey of common practices. International Journal of Pest Management 60:224-231.
- Damalas CA, Koutroubas SD (2016) Farmers' exposure to pesticides: types of toxicity and ways of prevention. *Toxics* 4:1-10.
- Damalas CA, Koutroubas SD (2017) Farmers' training on pesticide use is associated with elevated safety behavior. *Toxics* 5:19.
- Damalas CA, Koutroubas SD (2018) Current status and recent developments in biopesticide use. *Agriculture* 8:13.
- Damalas CA, Koutroubas SD, Fotiadis S (2014) Occurrence of European field pansy (*Viola arvensis*) in Orestiada, Greece. *Hellenic Plant Protection Journal* 7:25-29.
- Damalas CA, Lithourgidis AS (2011) Winter barley performance on two different soils under conservation tillage systems. *Acta Agriculturae Scandinavica B - Plant & Soil Science* 61:33-38.
- Damalas CA, Lithourgidis AS, Eleftherohorinos IG (2012) Echinochloa species control in maize (*Zea mays* L.) with sulfonylurea herbicides applied alone and in mixture with broadleaf herbicides. *Crop Protection* 34:70-75.
- Damalas CA, Telidis GK, Thanos SD (2008) Assessing farmers' practices on disposal of pesticide waste after use. *Science of the Total Environment* 390:341-345.
- Damalas CA, Theodorou MG, Georgiou EB (2006) Attitudes towards pesticide labelling among Greek tobacco farmers. International Journal of Pest Management 52:269-274.
- Döker I., Pappas M.L , Samaras K. , Triantafyllou A. , Kazak C. and Broufas G. 2014. Compatibility of reduced-risk insecticides with the non-target predatory mite *Iphiseius degenerans* (Acari: Phytoseiidae). *Pest Management Science*. DOI: 10.1002/ps.3921

- Dordas C.A., Papathanasiou F., Lithourgidis A., Petrevska J-K., Papadopoulos I., Pankou C., Gekas F., Ninou E., Mylonas I., Sistanis I. Tzantarmas C., Kargiotidou A., Tokatlidis I.S. 2018. Evaluation of physiological characteristics as selection criteria for drought tolerance in maize inbred lines and their hybrids. *Maydica*, 63 - M13.
- E. Zafeiriou., T. Koutroumanidis., C. Karelakis., Th. Trivellas. (2012). The virgin olive oil production in Mediterranean basin: An empirical approach, *African Journal of Agricultural Research*, Vol. 7(43), 5734- 5750.
- Efstratios Loizou Christos Karelakis, Konstantinos Galanopoulos Konstadinos Mattas (2019). The role of agriculture as a development tool for a regional economy. *Agricultural Systems* 173 (2019) 482–490.
- Fasoula VA, Tokatlidis IS, 2012. Development of crop cultivars by honeycomb breeding. A review. *Agronomy for Sustainable Development*, 32:161-180.
- Forsyth A., Mansfield J.W., Grabov N., Sinapidou E., de Torres M., Grant M., 2010. Genetic dissection of basal resistance to *Pseudomonas syringae* pv. *phaseolicola* in accessions of *Arabidopsis*. *Molecular Plant-Microbe Interactions*, 23: 1545-1552
- Fotiadis S, Koutroubas SD., Damalas CA (2017) Sowing date and cultivar effects on assimilate translocation in spring Mediterranean chickpea. *Agronomy Journal* 109:2011–2024.
- Fotiadis S., S.D. Koutroubas and C.A. Damalas. 2017. Sowing date and cultivar effects on assimilate translocation in spring Mediterranean chickpea. *Agronomy Journal* 109(5): 2011-2024.
- Fotiadis S., S.D. Koutroubas and C.A. Damalas. 2019. Nitrogen Utilization and Yield Determination of Spring Mediterranean Chickpea as Influenced by Planting Date and Environmental Conditions. *International Journal of Plant Production* 13:59–72.
- Fotou, K., Tzora, A., Voidarou, C., Alexopoulos, A., Plessas, S., Avgeris, I., & Demertzis, P. (2011). Isolation of microbial pathogens of subclinical mastitis from raw sheep's milk of Epirus (Greece) and their role in its hygiene. *Anaerobe*, 17(6), 315–319.
- Fournomiti, M., Kimbaris, A., Mantzourani, I., Plessas, S., Theodoridou, I., Papaemmanouil, V., & Bezirtzoglou, E. E. (2015). Antimicrobial activity of essential oils of cultivated oregano (*Origanum vulgare*), sage (*Salvia officinalis*), and thyme (*Thymus vulgaris*) against clinical isolates of *Escherichia coli*, *Klebsiella oxytoca*, and *Klebsiella pneumoniae*. *Microbial Ecology in Health and Disease*, 26(1), 23289.
- Galanopoulos, K., Aggelopoulos, S., Kamenidou, I., Mattas, K. 2006. Assessing the effects of managerial and production practices in the efficiency of commercial pig farming. *Agricultural Systems*, 88, 125-141.
- Galanopoulos, K., Karagiannis, G., Koutroumanidis, Th. 2004. Malmquist Productivity Index Estimates for European Agriculture in the 1990s. *Operational Research International Journal*, 4(1), 73-91.
- Galanopoulos, K., Karantinidis, K., Mattas, K., Karelakis, Ch. 2011. Exploring the Relations, Bargaining Forms and Dynamics of the EU Food Supply Chain under the Perspective of the Key Actors: Evidence from Greece and Denmark. *International Journal of Food System Dynamics* 2(3): 274-280

- Galanopoulos, K., Surry, Y., Mattas, K. 2011. Agricultural Productivity Growth in the Euro-Med Region: Is there Evidence of Convergence? *Outlook on Agriculture* 40(1): 39-44.
- Galanopoulos, K., Z. Abas, V. Laga, I. Hatziminaoglou, J. Boyazoglu. 2011. The technical efficiency of transhumance sheep and goat farms and the effect of EU subsidies: Do small farms benefit more than large farms? *Small Ruminant Research* 100:1-7.
- Galanopoulos, K., Nilsson, F., Lindberg, E., Surry, Y. 2009. Fruit and Vegetable Production in the New Millennium: Will Mediterranean Production Satisfy Increasing European Demand? *Outlook on Agriculture*, 38(3), 235-242.
- Gekas F., C. Pankou, I. Mylonas, E. Ninou, E. Sinapidou, A. Lithourgidis, F. Papathanasiou, J. – K. Petrevska, F. Papadopoulou, P. Zouliamis, G. Tsaprounis, I. Tokatlidis, and C. Dordas. 2013. The Use of Chlorophyll Meter Readings for the Selection of Maize Inbred Lines under Drought Stress. *World Academy of Science, Engineering and Technology*, 80: 932-936
- Gerokomou, V., Voidarou, C., Vatopoulos, A., Velonakis, E., Rozos, G., Alexopoulos, A., & Demertzis, P. (2011). Physical, chemical and microbiological quality of ice used to cool drinks and foods in Greece and its public health implications. *Anaerobe*, 17(6), 351–353.
- Ghiasi R, Allahyari MS, Damalas CA, Azizi J, Abedi M (2017) Crop protection services by Plant Clinics in Iran: An evaluation through rice farmers' satisfaction. *Crop Protection* 98:191-197.
- Giakountis A., Tokatlidis I.S., Skoufa A., Paplomatas E.I., Tokatlidis I.S., Chatzivassiliou E.K. 2015. Molecular characterization and phylogenetic analysis of a Greek lentil isolate of Pea seed-borne mosaic virus. *Phytoparasitica*, online (DOI 10.1007/s12600-015-0495-9).
- Giannarakis Grigoris, Xanthi Partalidou, Eleni Zafeiriou, Nikolaos Sariannidis. (2016). An analysis of United States on Dow Jones Sustainability Index doi: [http://dx.doi.org/10.21511/imfi.13\(3-2\).2016.07](http://dx.doi.org/10.21511/imfi.13(3-2).2016.07)
- Giannarakis, G., Zafeiriou, E., & Sariannidis, N. (2017). The impact of carbon performance on climate change disclosure. *Business Strategy and the Environment*, 26(8), 1078-1094.
- Giannarakis, G., Zafeiriou, E., Arabatzis, G., & Partalidou, X. (2018). Determinants of corporate climate change disclosure for European firms. *Corporate Social Responsibility and Environmental Management*, 25(3), 281-294.
- Giannarakis, G., Zafeiriou, E., Sariannidis, N., & Efthalitsidou, K. (2016). Determinants of dissemination of environmental information: an empirical survey. *Journal of Business Economics and Management*, 17(5), 749-764.
- Giatropoulos, A., Kimbaris, A., Michaelakis, A., Papachristos, D., Polissiou M., Emmanouel N. (2018). Chemical composition and assessment of larvicidal and repellent capacity of 14 Lamiaceae essential oils against *Aedes albopictus*. *Parasitology Research*, 117, 1953-1964.
- Giatropoulos, A., Papachristos, D. P., Kimbaris, A., Koliopoulos, G., Polissiou, M. G., Emmanouel, N., & Michaelakis, A. (2012). Evaluation of bioefficacy of three Citrus essential oils against the dengue vector *Aedes albopictus* (Diptera: Culicidae) in correlation to their components enantiomeric distribution. *Parasitology Research*, 111, 2253-2263.

- Gikas, G., Pérez-Villanueva, M., Tsioras, M., Alexoudis, C., Perez-Rojas, G., Masis-Mora, M., Lizano-Fallas, V., Rodríguez-Rodríguez, C. E., Vryzas, Z., Tsihrintzis, V.A. (2018). Low-cost approaches for the removal of terbutylazine from agricultural wastewater: constructed wetlands and biopurification system. *Chemical Engineering Journal*, 335, 647-656.
- Gikas, G.D., Vryzas, Z., Tsihrintzis, V.A. (2018) S-metolachlor herbicide removal in pilot-scale horizontal subsurface flow constructed wetlands. *Chemical Engineering Journal*, 339, pp. 108-116.
- Gitsopoulos TK, Damalas CA, Georgoulas I (2014) Herbicide mixtures for control of water smartweed (*Polygonum amphibium*) and wild buckwheat (*Polygonum convolvulus*) in potato. *Weed Technology* 28:401-407.
- Gitsopoulos TK, Damalas CA, Georgoulas I (2014) Improving diquat efficacy on grasses by adding adjuvants to the spray solution before use. *Planta Daninha* 32:355-360.
- Gitsopoulos TK, Damalas CA, Georgoulas I (2017) Chemical options for the control of silverleaf nightshade (*Solanum elaeagnifolium*). *Planta Daninha* 35: e017162035.
- Gkika, D., & Zafeiriou, E. (2019). Agriculture in the Baltic States; An Empirical Investigation of the Environmental-Economic Performance Relationship. *INTERNATIONAL JOURNAL OF ECOLOGY & DEVELOPMENT*, 34(1), 1-14.
- Greveniotis V, Fasoula VA, Papadopoulos II, Sinapidou E, Tokatlidis IS, 2012. Bridging the productivity gap between maize inbreds and hybrids via selection of plants excelling in crop yield genetic potential. *Australian Journal of Crop Science*, 10: 1448-1454.
- Greveniotis V., Fasoula V.A., Papadopoulos I.I., Sinapidou E., Tokatlidis, I.S., 2012. The development of highly-performing open-pollinated maize lines via single-plant selection in the absence of competition. *Australian Journal of Crop Science*, 6: 1448-1454
- Hadizadeh F, Allahyari MS, Damalas CA, Yazdani MR (2018) Integrated management of agricultural water resources among paddy farmers in northern Iran. *Agricultural Water Management* 200:19-26.
- Has V, Tokatlidis I, Has I, Mylonas I. 2008. Optimum Density and Stand Uniformity as Determinant Parameters of Crop Yield Potential and Productivity in Early Maize Hybrids. *Romanian Agricultural Research*, 25: 43-46.
- Hashemi SM, Damalas CA (2011) Farmers' perceptions of pesticide efficacy: reflections on the importance of pest management practices adoption. *Journal of Sustainable Agriculture* 35:69-85.
- Hashemi SM, Hosseini SM, Damalas CA (2009) Farmers' competence and training needs on pest management practices: participation in extension workshops. *Crop Protection* 28:934-939.
- Hashemi SM, Rostami R, Hashemi MK, Damalas CA (2012) Pesticide use and risk perceptions among farmers in southwest Iran. *Human and Ecological Risk Assessment* 18:456-470.
- Iliopoulou-Georgoudaki J., S.P. Tsonis, E. Kostoglou, A. Alexopoulos and P. Kaspiris. Trace elements in fishes collected from "Pappas" lagoon in Greece. *Rev. Inter. D'Oceanographie Med* 1992 (107-108):59-66.

- Ioannou, K., Tsantopoulos, G., Arabatzis, G., Andreopoulou, Z., & Zafeiriou, E. (2018). A spatial decision support system framework for the evaluation of biomass energy production locations: case study in the regional unit of drama, Greece. *Sustainability*, 10(2), 531.
- Ipsilantis CG, Tokatlidis IS, Vafias V, Stefanis D, 2006. Criteria for developing second-cycle hybrids in maize. *Asian Journal of Plant Sciences*, 5(4): 680-685.
- Jokar NK, Noorhosseini SA, Allahyari MS, Damalas CA (2017) Consumers' acceptance of medicinal herbs: An application of the technology acceptance model (TAM). *Journal of Ethnopharmacology* 207: 203-210.
- Kaimakoudi, E., Polymeros, K. and Karelakis Ch. (2010). Investigating market performance: the case of Greek fisheries industry. *International Review of Applied Economic Research*, Vol. 5, (1-2), 73-81.
- Kanakis, D.C, Petrakis, A.E., Kimbaris, C.A., Pappas, C., Tarantilis, A.P., & Polissiou , G.M. (2012). Classification of Greek *Mentha pulegium* L. (Pennyroyal) samples, according to geographical location by Fourier Transform Infrared Spectroscopy. *Phytochemical Analysis*, 23, 34-43.
- Karamaouna, F., Kimbaris, A., Michaelakis, A, Papachristos, D., Polissiou, M., Papatsakona, P., & Tsora, E. (2013). Insecticidal activity of plant essential oils against the vine mealybug *Planococcus ficus* (Hemiptera: Pseudococcidae). *Journal of Insect Science* 13, 1536-2442.
- Karelakis C., Abas, Z., Galanopoulos K., Polymeros K. (2013). Positive effects of the Greek economic crisis on livestock farmer behavior. *Agronomy for Sustainable Development*, Vol.33, Issue 3, 445-456.
- Karelakis C., Polymeros, K., Kaimakoudi, E. (2011). Analyzing managerial perceptions towards the performance determinants in the fisheries sector. *Fisheries Research*, Vol. 110, 2, 244-251.
- Karelakis C., Tsantopoulos G. (2017). Changing land use to alternative crops: A rural landholder's perspective. *Land Use Policy*, 63. pp: 30-37.
- Karelakis C., Vladu M. (2015). Landowners Perceptions Towards the Cultivation of Energy Crops: Empirical Evidence from The Region Of Evros Greece. *Analele Universității Din Craiova, Seria Agricultură – Montanologie – Cadastru (Annals of The University of Craiova - Agriculture, Montanology, Cadastre Series)* Vol. XLV 2015.
- Karelakis Christos, Efstratios Loizou, Marius Vladu. (2016). Exploring the Competitiveness, of the Greek Fisheries Sector. *Analele Universității din Craiova, seria Agricultură – Montanologie – Cadastru (Montanology, Cadastre Series)* Vol. XLVI 2016, Annals of the University of Craiova – Agriculture.
- Karelakis Christos, Eleni Zafeiriou, Konstantinos Galanopoulos (2019). Redefining integration of the European dairy markets: do they converge? *Agricultural Economics Review*, Accepted for publication
- Karelakis, C., Abas, Z., Galanopoulos, K., Polymeros, K. 2013. Positive effects of the Greek economic crisis on livestock farmer behavior. *Agronomy for Sustainable Development*, 33: 445-456.

- Karelakis, C., Mattas, K., Chryssochoidis, G. (2008). Export problems perceptions and clustering of Greek wine firms. *EuroMed Journal of Business*, Vol.3, Issue 1, 6-22.
- Karelakis, C., Mattas, K., Chryssochoidis, G. (2008). Greek wine firms: determinants of export performance. *Agribusiness: An International Journal*, Vol.24, Issue 2, 275-297.
- Karelakis, C., Zafeiriou, E., Galanopoulos, K. (2013). Natural Resources in regional and rural development: moving from public opinions to policy action. *New Medit*, Vol. XII-n.1, March 2013.
- Karelakis, C., Zafeiriou, E., Galanopoulos, K., & Koutroumanidis, T. 2013. Natural resources in regional and rural development: moving from public perceptions to policy action. *New Medit*, 12(1), pages 56-64.
- Karelakis, C., Zevgritis, P., Galanopoulos, K., Mattas, K.. 2019. Consumer Trends and Attitudes to Functional Foods. *Journal of International Food and Agribusiness Marketing*. Article in press.
- Kargiotidou A, Chatzivassiliou E, Sinapidou E, Papageorgiou A, Skaracis G, Tokatlidis IS. 2014. Selection at ultra-low density highlights plants escaping virus infection and leads towards high-performing pure-line cultivars in lentil. *Journal of Agricultural Science*, Cambridge 152:749-758.
- Kargiotidou A, Tzantarmas, C., Chatzivassiliou E, Tokatlidis I.S. 2015. Seed propagation at low density facilitates the selection of healthy plants to produce seeds with a reduced virus load in a lentil landrace. *Seed Science and Technology*, 43:31-39
- Kargiotidou A., Chatzivassiliou E., Tzantarmas C., Sinapidou E., Papageorgiou A., Skaracis G.N., Tokatlidis I.S., 2013. Selection at ultra-low density identifies plants escaping virus infection and leads towards high-performing lentil (*Lens culinaris L.*) varieties. *The Journal of Agricultural Science*, 2013:1-10
- Kargiotidou A., Vlachostergios D.N., Tzantarmas C., Mylonas I., Foti C., Menexes G., Polidoros A. Tokatlidis I.S. 2016. Addressing huge spatial heterogeneity induced by virus infections in lentil breeding trials. *Journal of Biological Research-Thessaloniki*, 23:2 DOI 10.1186/s40709-016-0039-6
- Katsantonis D., Koutroubas S.D., Ntanos D.A. and E. Lupotto. 2007. A comparison of three experimental designs for the field assessment of resistance to rice blast disease (*Pyricularia oryzae*). *Journal of Phytopathology* 155: 204-210.
- Katsantonis D., Koutroubas S.D., Ntanos D.A. and E. Lupotto. 2008. Effect of blast disease on nitrogen accumulation and remobilization to rice grain. *Journal of Plant Pathology* 90 (2):263-272.
- Kazakos, S., Mantzourani, I., Nouska, C., Alexopoulos, A., Bezirtzoglou, E., & Bekatorou, A. (2016). Production of low-alcohol fruit beverages through fermentation of pomegranate and orange juices with kefir grains. *Current Research in Nutrition and Food Science Journal*, 4(1), 19–26.
- Khan M, Damalas CA (2015) Factors preventing the adoption of alternatives to chemical pest control among Pakistani cotton farmers. *International Journal of Pest Management* 61:9-16.

- Khan M, Damalas CA (2015) Farmers' knowledge about common pests and pesticide safety in conventional cotton production in Pakistan. *Crop Protection* 77:45-51.
- Khan M, Damalas CA (2015) Farmers' willingness to pay for less health risks by pesticide use: a case study from the cotton belt of Punjab, Pakistan. *Science of the Total Environment* 530-531:297-303.
- Khan M, Damalas CA (2015) Occupational exposure to pesticides and resultant health problems among cotton farmers of Punjab, Pakistan. *International Journal of Environmental Health Research* 25:508-521.
- Khan M, Mahmood HZ, Abbas G, Damalas CA (2017) Agroforestry systems as alternative land-use options in the arid zone of Thal, Pakistan. *Small-scale Forestry* 16:553-569.
- Khan M, Mahmood HZ, Damalas CA (2015) Pesticide use and risk perceptions among farmers in the cotton belt of Punjab, Pakistan. *Crop Protection* 67:184-190.
- Kimbaris, A. C., Koliopoulos, G., Michaelakis, A. Konstantopoulou, M. A. (2012). Bioactivity of *Dianthus caryophyllus*, *Lepidium sativum*, *Pimpinella anisum*, and *Illicium verum* essential oils and their major components against the West Nile vector *Culex pipiens*. *Parasitology Research*, 111, 2403-2410.
- Kimbaris, A., Cobb, J., Tsakonas, G., & Varvounis G. (2004). Novel pyrrolo[1,2-a][3.1.6]benzothiadiazocine ring synthesis. Unusual Truce-Smiles type rearrangement of 1-{[1-(2-nitrophenyl)-1H-pyrrol-2-yl]sulfonyl(or sulfinyl)}acetone *Tetrahedron* ,60 (40), 8807-8815.
- Kimbaris, A.C., Azucena, G-C., Maria Fe Andres, Vidali, P.V., Polissiou G.M., & Santana-Meridase, O. (2017). Biocidal Compounds from *Mentha* sp. Essential Oils and Their Structure–Activity Relationships. *Chem. Biodiversity*, 14, e1600270 DOI: 10.1002/cbdv.201600270.
- Kimbaris, A.C., Kioulos, N., Koliopoulos, G., Polissiou, M.G., & Michaelakis, A. (2009). Coactivity Sulfide ingredients: a new perspective of larvicidal activity of garlic essential oil against mosquito. *Pest Management Science*, 65 (3), 249-254.
- Kimbaris, A.C., Siatis, N.G., Daferera, D.J., Pappas, C.S., Tarantilis, A.P., & Polissiou, G.M. (2006). Comparison of distillation and ultrasound-assisted extraction methods for the isolation of sensitive aroma compounds from garlic (*Allium sativum*). *Ultrasonics Sonochemistry*, 13 (1), 54-60.
- Kimbaris, A.C., Siatis, N.G., Pappas, C.S., Daferera, D.J., Tarantilis, A.P., & Polissiou, G.M. (2006). Quantitative analysis of garlic (*Allium sativum*) oil unsaturated acyclic components using FT-Raman spectroscopy. *Food Chemistry*, 94 (2), 287-295.
- Kimbaris, C.A., Papachristos P.D., Michaelakis A., Martinou F.A., & Polissiou. G.M. (2010). Toxicity of plant essential oil vapours to aphid pests and their coccinellid predators. *Biocontrol Science & Technology*, 20 (4), 411-422.
- Koukoulakis, P., Chatzissavvidis, C., Papadopoulos, A. & Pontikis, D. (2012). Interactions between leaf macro, micronutrients and soil properties in pistachio (*Pistacia vera L.*) orchards. *Acta Botanica Croatica*, 72, 295-310.

- Koukoulakis, P.H., Papadopoulos, A., Chatzissavvidis, C., Paschalides, C.H. & Kavvadias, V. (2008). The effect of N and Zn and their interrelationships in maize nutrition grown in calcareous soils. Bulgarian Journal of Ecological Science - Ecology and Future, 7, 25-28.
- Koulymboudi, L., Papafilippou, A., Tzanoudaki, M. & Chatzissavvidis, C. (2014). Effect of nitrogen form on trifoliolate orange (*Poncirus trifoliata*) and sour orange (*Citrus aurantium*) plants grown under saline conditions. Turkish Journal of Agricultural and Natural Sciences, 2, 1596-1605.
- Koutroubas S.D. 1999. Nitrogen fixation by legumes and the reliability of determination methods. Geotechnical Scientific Issues 10:126-134. (In Greek with English abstract).
- Koutroubas S.D. and C.A. Damalas. 2015. Sunflower response to repeated foliar applications of paclobutrazol. *Planta Daninha* 33(1): 129 - 135.
- Koutroubas S.D. and C.A. Damalas. 2016. Morpho-physiological responses of sunflower to foliar applications of chlormequat chloride (CCC). *Bioscience Journal* 32 (6): 1493-1501.
- Koutroubas S.D. and D.A. Ntanios. 2003. Genotypic differences for grain yield and nitrogen utilization in Indica and Japonica rice under Mediterranean conditions. *Field Crops Research* 83: 251-260.
- Koutroubas S.D. and D.K. Papakosta. 2000. Effect of inoculation and nitrogen fertilization on soybean. *Agricultural Research* 23(2): 20-29. (In Greek with English abstract).
- Koutroubas S.D. and D.K. Papakosta. 2010. Seed filling patterns of safflower: Genotypic and seasonal variations and association with other agronomic traits. *Industrial Crops and Products* 31(1): 71-76.
- Koutroubas S.D., D.K. Papakosta and A. Doitsinis. 1999. Adaptation and yielding ability of castor plant (*Ricinus communis* L.) genotypes in a Mediterranean climate. *European Journal of Agronomy* 11: 227-237.
- Koutroubas S.D., D.K. Papakosta and A. Doitsinis. 2000. Water requirements for castor oil crop (*Ricinus communis* L.) in Mediterranean climate. *Journal of Agronomy & Crop Science* 184: 33-41.
- Koutroubas S.D., D.K. Papakosta and A. Doitsinis. 2004. Cultivar and seasonal effects on the contribution of pre-anthesis assimilates to safflower yield. *Field Crops Research* 90:263-274.
- Koutroubas S.D., D.K. Papakosta and A. Doitsinis. 2008. Nitrogen utilization efficiency of safflower hybrids and open-pollinated varieties under Mediterranean conditions. *Field Crops Research* 107:56-61.
- Koutroubas S.D., D.K. Papakosta and A. Doitsinis. 2009. Phenotypic variation in physiological determinants of yield in spring sown safflower under Mediterranean conditions. *Field Crops Research* 112 (2-3):199-204.
- Koutroubas S.D., D.K. Papakosta, A.A. Gagianas and E.P. Papanikolaou. 1998. Estimation and partitioning of nitrogen fixed by soybean in Mediterranean climate. *Journal of Agronomy & Crop Science* 181: 137-144.

- Koutroubas S.D., D.S. Veresoglou and A. Zounos. 2000. Nutrient use efficiency as a factor determining the structure of herbaceous plant communities in low-nutrient environments. *Journal of Agronomy & Crop Science* 184: 261-266.
- Koutroubas S.D., F. Mazzini, B. Pons and D.A. Ntanios. 2004. Grain quality variation and relationships with morpho-physiological traits in rice (*Oryza sativa L.*) genetic resources in Europe. *Field Crops Research* 86:115-130.
- Koutroubas S.D., G. Vassiliou and C.A. Damalas. 2014. Sunflower morphology and yield as affected by foliar applications of plant growth regulators. *International Journal of Plant Production* 8 (2): 215-229.
- Koutroubas S.D., Katsantonis D., Ntanios D.A. and E. Lupotto. 2008. Nitrogen utilization efficiency and grain yield components of rice varieties grown under blast disease stress. *Australasian Plant Pathology* 37: 53-59.
- Koutroubas S.D., Katsantonis D., Ntanios D.A. and E. Lupotto. 2009. Blast fungus inoculation reduces accumulation and remobilization of the pre-anthesis assimilates to rice grains. *Phytopathologia Mediterranea* 48(2): 240-252.
- Koutroubas S.D., Katsantonis D., Ntanios D.A. and E. Lupotto. 2009. Blast disease influence on agronomic and quality traits of rice varieties under mediterranean conditions. *Turkish Journal of Agriculture and Forestry. Turkish Journal of Agriculture and Forestry* 33(5): 487-494.
- Koutroubas S.D., Papageorgiou M. and S. Fotiadis. 2009. Growth and nitrogen dynamics in spring chickpea genotypes in a Mediterranean-type climate. *The Journal of Agricultural Science, Cambridge* 147:445-458.
- Koutroubas S.D., S. Fotiadis and C.A. Damalas. 2016. Grain yield and nitrogen dynamics of Mediterranean barley and triticale. *Archives of Agronomy and Soil Science* 62(4): 484-501.
- Koutroubas S.D., S. Fotiadis, C.A. Damalas and M. Papageorgiou 2014. Grain-filling patterns and nitrogen utilization efficiency of spelt (*Triticum spelta*) under Mediterranean conditions. *The Journal of Agricultural Science, Cambridge* 152: 716–730.
- Koutroubas S.D., S. Fotiadis, C.A. Damalas. 2012. Biomass and nitrogen accumulation and translocation in spelt (*Triticum spelta*) grown in a Mediterranean area. *Field Crops Research* 127:1-8.
- Koutroubas S.D., V. Antoniadis, C.A. Damalas and S. Fotiadis. 2016. Effect of organic manure on wheat grain yield, nutrient accumulation, and translocation. *Agronomy Journal* 108: 615–625.
- Koutroubas S.D., V. Antoniadis, S. Fotiadis and C.A. Damalas. 2014. Growth, grain yield and nitrogen use efficiency of Mediterranean wheat in soils amended with municipal sewage sludge. *Nutrient Cycling in Agroecosystems* 100:227-243.
- Koutroubas SD, Antoniadis V, Damalas CA, Fotiadis S (2016) Effect of organic manure on wheat grain yield, nutrient accumulation, and translocation. *Agronomy Journal* 108:615-625.

- Koutroubas SD, Antoniadis V, Fotiadis S, Damalas CA (2014) Growth, grain yield, and nitrogen use efficiency of Mediterranean wheat in soils amended with municipal sewage sludge. *Nutrient Cycling in Agroecosystems* 100:227-243.
- Koutroubas SD, Damalas CA (2015) Sunflower response to repeated foliar applications of paclobutrazol. *Planta Daninha* 33:129-135.
- Koutroubas SD, Damalas CA (2016) Morpho-physiological responses of sunflower to foliar applications of chlormequat chloride (CCC). *Bioscience Journal* 32:1493-1501.
- Koutroubas SD, Fotiadis S, Damalas CA (2012) Biomass and nitrogen accumulation and translocation in spelt (*Triticum spelta*) grown in a Mediterranean area. *Field Crops Research* 127:1-8.
- Koutroubas SD, Fotiadis S, Damalas CA (2015) Grain yield and nitrogen dynamics of Mediterranean barley and triticale. *Archives of Agronomy and Soil Science* 62: 484-501.
- Koutroubas SD, Fotiadis S, Damalas CA, Papageorgiou M (2014) Grain filling patterns and nitrogen utilization efficiency of spelt (*Triticum spelta*) under Mediterranean conditions. *Journal of Agricultural Science* 152: 716-730.
- Koutroubas SD, Vassiliou G, Damalas CA (2014) Sunflower morphology and growth as affected by foliar application of plant growth regulators. *International Journal of Plant Production* 8:215-229.
- Koutroubas, S.D., D.K. Papakosta, and A.A. Gagianas. 1998. The importance of early dry matter and nitrogen accumulation in soybean yield. *European Journal of Agronomy* 9: 1-10.
- Koutroumanidis Th, Ioannou K., and Zafeiriou E.. (2011). "Forecasting Bank Stock Market Prices with a Hybrid Method: The Case of Alpha Bank". *Journal of Business Economics and Management*, Volume 12, Issue 1, 2011, Pages 144 - 163. ISSN: 0022-1694 (5-Year Impact Factor: 1.881).
- Koutroumanidis Th., Sylaios G., Zafeiriou E. and Tsirhrintzis V. A. (2009). "Genetic modeling for the optimal forecasting of hydrologic time-series: Application in Nestos River". *Journal of Hydrology*, Vol. 368, Issues 1-4, 30 April 2009, pp. 156-164.
- Koutroumanidis Th., Zafeiriou E. and Sofios S. (2009). "An Empirical Study of the Sheep Meat Production with Fuzzy Logic". *Journal of Development and Agricultural Economics (JDAE)*, Vol. 1(7), pp. 150-161.
- Koutroumanidis Th., Zafeiriou E., Aggelopoulos S., and Sofios Sp. (2010). "A study of the volatility of the sheep meat production in European Union (EU)". *International Journal of Food, Agriculture & Environment (JFAE)* vol. 8 (2), pp. 736-742.
- Koutroumanidis Th., Zafeiriou E., and Arabatzis G. (2009). "Asymmetry in price transmission between the producer and the consumer prices in the wood sector and the role of imports: The case of Greece". *Forest Policy and Economics*, Vol. 11, (1) pp. 56-64.
- Koutroumanidou, E., Kimbaris, A., Kortsaris, A., Bezirtzoglou, E., Polissiou, M., Charalabopoulos, K., & Pagonopoulou, O. (2013). Increased seizure latency and increased severity of pentylenetetrazol induced seizures in mice after essential oil administration.

- Epilepsy Research and Treatment, Volume 2013 , Article ID 532657, 6 pages, <http://dx.doi.org/10.1155/2013/532657>.
- Koutroumpas, S., Galanopoulos, K., Koutroumanides, T., Tokatlides, J., Abas, Z., Broufas, G., & Alexopoulos, A. (2007). Educational Strategy in enterprises: A Case Study Involving Students of Agricultural Development. Higher Education and the Challenge of Sustainability: Problems, Promises and Good Practice, 5, 17.
- Koutroupi Eleni, Dimitrios Natos, Christos Karelakis. (2015). Assessing exports market dynamics: The case of Greek wine exports. Procedia Economics and Finance. Elsevier Publishing, Elsevier Publishing, Vol.19, 184-192.
- Koveos D.S. and G.D. Broufas, 1999. Diapause induction and termination in eggs of the fruit tree red spider mite *Panonychus ulmi* in northern Greece. Experimental & Applied Acarology 23: 669-679.
- Koveos D.S. and G.D. Broufas, 1999. Feeding history affects the response of the predatory mite *Typhlodromus kerkirae* (Acari: Phytoseiidae) to volatiles of plants infested with spider mites. Experimental & Applied Acarology 23: 429-436.
- Koveos D.S. and G.D. Broufas, 2000. Functional response of *Euseius (Amblyseius) finlandicus* and *Amblyseius andersoni* on *Panonychus ulmi* on apple and peach leaves in the laboratory. Experimental & Applied Acarology 24: 247-256.
- Koveos D.S., A. Veerman, G.D. Broufas and A. Exarhou, 1999. Altitudinal and latitudinal variation in diapause characteristics in the spider mite *Tetranychus urticae* Koch. Entomological Science 2: 607-613.
- Koveos D.S., B.I. Katsoyannos and G.D. Broufas, 2002. First record of *Eurytoma schreineri* Schreiner (Hymenoptera: Eurytomidae) in Greece and some observations on its phenology. Journal of Applied Entomology 126: 186-187.
- Koveos D.S., G.D. Broufas, E. Kiliaraki and M.E. Tzanakakis, 1996. Effect of prevention of flight on ovarian maturation and reproductive diapause in the olive fruit fly *Bactrocera (Dacus) oleae* (Diptera: Tephritidae). Annals of the Entomological Society of America 90: 337-340.
- Koveos D.S., N.A. Kouloussis and G.D. Broufas, 1995. Olfactory response of the predatory mite *Amblyseius andersoni* Chant to bean plants infested by the spider mite *Tetranychus urticae* Koch. Journal of Applied Entomology 119: 615- 619.
- Koveos, D.S., and G.D. Broufas, 2001. Survival under dry conditions of males and diapause and non-diapause females of the predatory mite *Euseius finlandicus* (Acari: Phytoseiidae). Acta Societatis Zoologicae Bohemicae 65: 247-251.
- Lampiris G., Karelakis C., Loizou E. (2018). Evaluation of The Impacts of CAP Policy Measures on a Local Economy: The Case of The Greek Region of Central Macedonia, Land Use Policy, 77:745-751.
- Lampiris, G., Karelakis, C., Loizou, E. (2019). Comparison of non-survey techniques for constructing regional Input-Output tables, Annals of Operational Research, Accepted for Publication.

- Leotsinidis M., A. Alexopoulos V. Schinas, M. Kardara, X.G. Kondakis. Plasma retinol and tocopherol levels in Greek elderly population from an urban and a rural area: associations with the dietary habits. *Eur J Epidemiol.* 2000;16(11): 1009-16.
- Leotsinidis M., A. Alexopoulos, E. Kostopoulou-Farri. Toxic and essential trace elements in human milk from Greek lactating women. Association with dietary habits and other factors. *Chemosphere* 2005 61(2):238-47.
- Leotsinidis M., V. Schinas, A. Alexopoulos, P. Zannis, W. Burgess X.G. Kondakis. Leaching of metals in buried industrial sludge, spiked with Cadmium, Chromium and Lead. Results of a trial. *Toxicol. Environ. Chemistry*, 2000 (75): 113-126
- Lithourgidis AS, Damalas CA, Eleftherohorinos IG (2009) Conservation tillage: a promising perspective for sustainable agriculture in Greece. *Journal of Sustainable Agriculture* 33:85-95.
- Lithourgidis AS, Damalas CA, Gagianas AA (2006) Long-term yield patterns for continuous winter wheat cropping in northern Greece. *European Journal of Agronomy* 25:208-214.
- Lithourgidis AS, Dhima KV, Damalas CA, Vasilakoglou IB, Eleftherohorinos IG (2006) Tillage effects on wheat emergence and yield at varying seeding rates, and on labor and fuel consumption. *Crop Science* 46:1187-1192.
- Lithourgidis AS, Dordas CA, Damalas CA, Vlachostergios DN (2011) Annual intercrops: an alternative pathway for sustainable agriculture. *Australian Journal of Crop Science* 5:396-410.
- Lithourgidis AS, Roupakias DG, Damalas CA (2004) Evaluation of faba beans for resistance to sclerotinia stem rot caused by Sclerotinia trifoliorum. *Phytoprotection* 85:89-94.
- Lithourgidis AS, Roupakias DG, Damalas CA (2005) Inheritance of resistance to sclerotinia stem rot (Sclerotinia trifoliorum) in faba beans (*Vicia faba* L.). *Field Crops Research* 91:125-130.
- Lithourgidis AS, Vlachostergios DN, Dordas CA, Damalas CA (2011) Dry matter yield, nitrogen content, and competition in pea-cereal intercropping systems. *European Journal of Agronomy* 34:287-294.
- Lithourgidis CS, Stamatelatou K, Damalas CA (2016) Farmers' attitudes towards common farming practices in northern Greece: implications for environmental pollution. *Nutrients Cycling in Agroecosystems* 105:103-116.
- Loizou, E., Karelakis, C., Galanopoulos, K., Mattas, K. 2019. The role of agriculture as a development tool for a regional economy. *Agricultural Systems*, 173: 482-490.
- Luce A., Mattas K., Tzouramani I., Paroussi G., Tsakiridou E. & Raptou E. (2006). Financial Assessment of a new Soil Heating Technology for Off-Season Asparagus Production. *American Journal of Agricultural and Biological Science*, 1(1), pp. 6-9.
- Mallidis, I., Vlachos, D., Yakavenka, V., & Eleni, Z. (2018). Development of a single period inventory planning model for perishable product redistribution. *Annals of Operations Research*, 1-17.

- Manousidis T., Z.M. Parissi, A.P. Kyriazopoulos, C. Malesios, S.D. Koutroubas and Z. Abas. 2018. Relationships among nutritive value of selected forages, diet composition and milk quality in goats grazing in a Mediterranean woody rangeland. *Livestock Science* 218: 8-19.
- Mantzourani, I., Plessas, S., Alexopoulos, A., Voidarou, C., & Bezirtzoglou, E. (2011). Antibiotic activity of tigecycline against clinical pathogens by the micro dilution method. *Anaerobe*, 17(6), 391–393.
- Mantzourani, I., Plessas, S., Odatzidou, M., Alexopoulos, A., Galanis, A., Bezirtzoglou, E., & Bekatorou, A. (2019). Effect of a novel *Lactobacillus paracasei* starter on sourdough bread quality. *Food Chemistry*, 271, 259–265.
- Mantzourani, I., Terpou, A., Alexopoulos, A., Chondrou, P., Galanis, A., Bekatorou, A., & Plessas, S. (2018). Application of A Novel Potential Probiotic *Lactobacillus paracasei* Strain Isolated from Kefir Grains in the Production of Feta-Type Cheese. *Microorganisms*, 6(4), 121.
- Mantzourani, I., Bontsidis, C., Plessas, S., Alexopoulos, A., Theodoridou, E., Tsigalou, C., & Stavropoulou, E. (2019). Comparative Susceptibility Study Against Pathogens Using Fermented Cranberry Juice and Antibiotics. *Frontiers in Microbiology*, 10, 1294.
- Mantzourani, I., Chondrou, P., Bontsidis, C., Karolidou, K., Terpou, A., Alexopoulos, A., & Plessas, S. (2019). Assessment of the probiotic potential of lactic acid bacteria isolated from kefir grains: Evaluation of adhesion and antiproliferative properties in in vitro experimental systems. *Annals of Microbiology*, 69(7), 751–763.
- Mantzourani, I., Kazakos, S., Terpou, A., Alexopoulos, A., Bezirtzoglou, E., Bekatorou, A., & Plessas, S. (2019). Potential of the Probiotic *Lactobacillus Plantarum* ATCC 14917 Strain to Produce Functional Fermented Pomegranate Juice. *Foods*, 8(1), 4.
- Mantzourani, I., Kazakos, S., Terpou, A., Mallouchos, A., Kimbaris, A., Alexopoulos, A., & Plessas, S. (2018). Assessment of Volatile Compounds Evolution, Antioxidant Activity, and Total Phenolics Content during Cold Storage of Pomegranate Beverage Fermented by *Lactobacillus paracasei* K5. *Fermentation*, 4(4), 95.
- Mantzourani, I., Kazakos, S., Terpou, A., Mallouchos, A., Kimbaris, A., Alexopoulos, A., Bezirtzoglou, E., & Plessas, S. (2018). Assessment of Volatile Compounds Evolution, Antioxidant Activity, and Total Phenolics Content during Cold Storage of Pomegranate Beverage Fermented by *Lactobacillus paracasei* K5. *Fermentation*, 4, 95; doi:10.3390/fermentation4040095.
- Mantzourani, I., Nouska, C., Terpou, A., Alexopoulos, A., Bezirtzoglou, E., Panayiotidis, M., & Plessas, S. (2018). Production of a novel functional fruit beverage consisting of Cornelian cherry juice and probiotic bacteria. *Antioxidants*, 7(11), 163.
- Mantzourani, I., Plessas, S., Saxami, G., Alexopoulos, A., Galanis, A., & Bezirtzoglou, E. (2014). Study of kefir grains application in sourdough bread regarding rope spoilage caused by *Bacillus* spp. *Food Chemistry*, 143, 17–21.
- Mantzourani, I., Terpou, A., Alexopoulos, A., Bezirtzoglou, E., & Plessas, S. (2019). Assessment of Ready-to-Use Freeze-dried Immobilized Biocatalysts as Innovative Starter Cultures in Sourdough Bread Making. *Foods*, 8(1), 40.

- Mantzourani, I., Terpou, A., Alexopoulos, A., Bezirtzoglou, E., Bekatorou, A., & Plessas, S. (2019). Production of a potentially symbiotic fermented Cornelian cherry (*Cornus mas* L.) beverage using *Lactobacillus paracasei* K5 immobilized on wheat bran. *Biocatalysis and Agricultural Biotechnology*, 17, 347–351.
- Mantzourani, I., Terpou, A., Alexopoulos, A., Kimbaris, A., Bezirtzoglou, E., Koutinas, A. A., & Plessas, S. (2019). Production of a Potentially Symbiotic Pomegranate Beverage by Fermentation with *Lactobacillus plantarum* ATCC 14917 Adsorbed on a Prebiotic Carrier. *Applied Biochemistry and Biotechnology*, 1–12.
- Mantzourani, I., Terpou, A., Alexopoulos, A., Kimbaris, A., Bezirtzoglou, E., Koutinas, A., & Plessas, S. (2019). Production of a Potentially Symbiotic Pomegranate Beverage by Fermentation with *Lactobacillus plantarum* ATCC 14917 Adsorbed on a Prebiotic Carrier. *Applied Biochemistry and Biotechnology*, 188(4), 1096-1107.
- Markopoulos Th., Papadopoulos S., Karelakis C., Galanopoulos K., Mattas K. (2017). The Effects of the Reformed C.A.P. to Cereal Crops. *International Journal of Food and Beverage Manufacturing and Business Models*. Volume 2, Issue 2. DOI: 10.4018/IJFBMBM.2017070101.
- Markopoulos, Th., Karelakis, C., Galanopoulos, K., Mattas, K. 2015. Did the 2004 CAP Reform Affect Production Practices of Cereals? Insights from the Agricultural Input Suppliers. *Scientific Bulletin - Economic Sciences*, 14(2): 71-83
- Marzban S, Allahyari MS, Damalas CA (2016) Exploring farmers' orientation towards multifunctional agriculture: insights from northern Iran. *Land Use Policy* 59:121-129.
- Mastrogianidou, E., Chatzissavvidis, C., Antonopoulou, C., Tsampardoukas, V. & Giannakoula, A., Therios, I. (2016). Response of pomegranate cv. Wonderful plants to salinity. *Journal of Soil Science and Plant Nutrition*, 16, 621-636.
- Michaelakis, A., Papachristos, D., Kimbaris, A., & Polissiou, M. (2011). Larvicidal evaluation of three *Mentha* species essential oils and their isolated major components against the West Nile virus mosquito. *Hellenic Plant Protection Journal*, 4 (2), 35-43.
- Michaelakis, A., Papachristos, D., Kimbaris, A., Koliopoulos, G., Giatropoulos, A., & Polissiou, M.G. (2009). Citrus essential oils and four enantiomeric pinenes against *Culex pipiens* (Diptera: Culicidae). *Parasitology Research*, 105 (3), 769-773.
- Michaelakis, A., Vidali, P.V., Papachristos, P.D, Pitsinos , N.E., Koliopoulos, G, Couladouros, E. A., Polissiou , G.M., & Kimbaris, C.A. (2014). Bioefficacy of acyclic monoterpenes and their saturated derivatives against the West Nile vector *Culex pipiens*. *Chemosphere*, 96, 74-80.
- Mitskas MB, Tsolis CE, Eleftherohorinos IG, Damalas CA (2003) Interference between corn and johnsongrass (*Sorghum halepense*) from seed or rhizomes. *Weed Science* 51:540-545.
- Mitsopoulos, I., Siasiou, A., Chatziplis, D., Kiritsi, S., Michas, V., Lagka, V., Galanopoulos, K. Transhumant Sheep and Goat Farming Sector in the Region of Sterea Ellada-Greece. *Animal Science and Biotechnologies*, 2015, 48(2).

- Moghaddam SS, Ibrahim R, Damalas CA, Noorhosseini SA (2017) Effects of gamma stress and carbon dioxide on eight bioactive flavonoids and photosynthetic efficiency in *Centella asiatica*. *Journal of Plant Growth Regulation* 36:957-969.
- Molassiotis, A., Therios, I., Dimassi, K., Diamantidis, G. & Chatzissavvidis, C. (2005). Induction of Fe (III)-chelate reductase activity by ethylene and salicylic acid in iron-deficient peach rootstocks explants. *Journal of Plant Nutrition*, 28, 669-682.
- Myresiotis, C.K., Karaoglanidis, G.K., Vryzas, Z., Papadopoulou-Mourkidou, E., (2012). Evaluation of plant growth-promoting rhizobacteria, acibenzolar-S-methyl, and hymexazol for integrated control of Fusarium crown and root rot on tomato. *Pest Management Science*, 68, 404-411.
- Myresiotis, C.K., Papadakis, E.N., Vryzas, Z., Papadopoulou-Mourkidou, E., (2011). Determination of acibenzolar-S-methyl and its acidic metabolite in soils by HPLC-diode array detection. *Journal of Environmental Science and Health, Part B*, 46, 550-556.
- Myresiotis, C.K., Testempasis, S., Vryzas, Z., Karaoglanidis, G.S., Papadopoulou-Mourkidou, E. (2015). Determination of mycotoxins in pomegranate fruits and juices using a QuEChERS-based method. *Food Chemistry*, 182, 81-88.
- Myresiotis, C.K., Vryzas, Z., Papadopoulou-Mourkidou, E. (2014). Enhanced root uptake of acibenzolar-S-methyl (ASM) by tomato plants inoculated with selected *Bacillus* plant growth-promoting rhizobacteria (PGPR). *Applied Soil Ecology*, 77, 26-33.
- Myresiotis, C.K., Vryzas, Z., Papadopoulou-Mourkidou, E. (2015). Effect of specific plant-growth-promoting rhizobacteria (PGPR) on growth and uptake of neonicotinoid insecticide thiamethoxam in corn (*Zea mays L.*) seedlings. *Pest Management Science*, 71, 1258-1266.
- Myresiotis, Vryzas, Z., Papadopoulou-Mourkidou, E., (2012). Biodegradation of soil-applied pesticides by selected strains of plant growth-promoting rhizobacteria (PGPR) and their effects on bacterial growth. *Biodegradation*, 23, 297-310.
- Niell, S., Pareja, L., Gonzalez, G., Gonzalez, J., Vryzas, Z., Cesio, M. V., Papadopoulou-Mourkidou, E., Heinzen, H., (2011). Simple Determination of 40 Organophosphate Pesticides in Raw Wool Using Microwave-Assisted Extraction and GC-FPD Analysis. *Journal Agricultural & Food Chemistry*, 59, 7601-7608.
- Ninou E., Papathanasiou F., Vlachostergios D.N., Mylonas I., Kargiotidou A., Pankou C., Papadopoulos I., Sinapidou E. Tokatlidis I. 2019. Intense Breeding within Lentil Landraces for High-Yielding Pure Lines Sustained the Seed Quality Characteristics. *Agriculture*, 9, 175; doi:10.3390/agriculture9080175
- Ninou E.G., Mylonas I.G., Tsivelikas A., Ralli P., Dordas C., Tokatlidis I.S. 2014. Wheat landraces are better qualified as potential gene pools at ultra-spaced rather than densely grown conditions. *The Scientific World Journal* (<http://dx.doi.org/10.1155/2014/957472>)
- Noorhosseini SA, Fallahi E, Damalas CA, Allahyari MS (2017) Factors affecting the demand for medicinal plants: Implications for rural development in Rasht, Iran. *Land Use Policy* 68:316-325.

- Noorhosseini SA, Jokar NK, Damalas CA (2018) Improving seed germination and early growth of garden cress (*Lepidium sativum*) and basil (*Ocimum basilicum*) with hydropriming. *Journal of Plant Growth Regulation* 37:323-334.
- Nouska, C., Mantzourani, I., Alexopoulos, A., Bezirtzoglou, E., Bekatorou, A., Akrida-Demertz, K., & Plessas, S. (2016). *Saccharomyces cerevisiae* and kefir production using waste pomegranate juice, molasses, and whey. *Czech Journal of Food Sciences*, 33(3), 277–282.
- Ntanos D., Koutroubas S.D., and C. Mavrotas. 2000. Barnyardgrass (*Echinochloa crus-galli*) control in water-seeded rice (*Oryza sativa*) with cyhalofop-butyl. *Weed Technology* 14: 383-388.
- Ntanos D.A. and S.D. Koutroubas. 2000. Competition of barnyardgrass with rice varieties. *Journal of Agronomy & Crop Science* 184: 241-246.
- Ntanos D.A. and S.D. Koutroubas. 2000. Evaluation of rice for resistance to pink stem borer (*Sesamia nonagrioides* Lefebvre). *Field Crops Research* 66: 63-71.
- Ntanos D.A. and S.D. Koutroubas. 2002. Dry matter and N accumulation and translocation for Indica and Japonica rice under Mediterranean conditions. *Field Crops Research* 74: 93-101.
- Ntanos D.A., F. Papadopoulos, A. Soupilas, S.D. Koutroubas, A. Papadopoulos, E. Metaxa, G. Parisopoulos, A. Zdraga, N. Philippou and E. Anastasiadis. 2002. Rice irrigation with treated municipal wastewater. *Agricultural Research* 25(2): 21-32. (In Greek with English abstract).
- Omirou, M., Vryzas, Z., Papadopoulou-Mourkidou, E and Economou, A., (2009). Dissipation rates of iprodione and thiacloprid in greenhouse. *Food Chemistry* 116, 499-504.
- Orfanoudakis M., Sinapidou E. and Arnhold-Schmitt B., 2015. Can AOX gene diversity mark herbal tea quality? – A proposal. Sub-chapter of AOX goes risky - a way to application. In K. J. Gupta, L. A.J. Mur and B. Neelwarne (eds.) *Alternative Respiratory Pathways in Higher Plants*, John Wiley & Sons, Ltd, Chichester, UK, p. 311-313. (DOI 10.1002/9781118789971.ch21)
- Papachristos, D.P., Kimbaris, A.C., Papadopoulos, N.T., & Polissiou, M.G. (2009). Toxicity of citrus essential oils against *Ceratitis capitata* (Diptera: Tephritidae) larvae. *Annals of Applied Biology*, 155 (3), 381-389.
- Papadakis E. N., Vryzas Z., Papadopoulou-Mourkidou E., (2006). Rapid method for the determination of 16 organochlorine pesticides in sesame seeds by microwave-assisted extraction and analysis of extracts by gas chromatography-mass spectrometry. *Journal of Chromatography A* 1127 6-11.
- Papadakis, E.-N., Kyrgidou, A., Vryzas, Z., Papadopoulou-Mourkidou, E. (2014). Development of a Microwave-Assisted Extraction Method for the Determination of Organochlorine Pesticides in Mussel Tissue. *Food Analytical Methods*, 7, 1271-1277.
- Papadakis, E.-N., Tsaboula, A., Kotopoulou, A., Kintzikoglou, K., Vryzas, Z., Papadopoulou-Mourkidou, E. (2015). Pesticides in the surface waters of Lake Vistonis Basin, Greece:

- Occurrence and environmental risk assessment. *Science of the Total Environment*, 536, 793-802.
- Papadakis, E.-N., Tsaboula, A., Vryzas, Z., Kotopoulou, A., Kintzikoglou, K., Papadopoulou-Mourkidou, E. (2018). Pesticides in the rivers and streams of two river basins in northern Greece. *Science of the Total Environment*, 624, 732-743.
- Papadakis, E.N., Vryzas, Z., Kotopoulou, A., Kintzikoglou, K., Makris, K.C., Papadopoulou-Mourkidou, E. (2015). A pesticide monitoring survey in rivers and lakes of northern Greece and its human and ecotoxicological risk assessment. *Ecotoxicology and Environmental Safety*, 116, 1-9.
- Papadakis, I., Chatzissavvidis, C., Therios, I. & Protopapadakis, E. (2008). Changes in leaf Mn concentrations in mature 'Washington Navel' orange trees with different Mn status after a single foliar application of MnSO₄. *European Journal of Horticultural Science*, 73, 162-165.
- Papadakis, I.E., Antonopoulou, C., Chatzissavvidis, C., Protopapadakis, E. & Therios, I. (2018). Rootstock effects on nutritional status, yield and fruit quality of 'Washington navel' sweet orange [Citrus sinensis (L.) Osbeck] trees. *Agrochimica*, LXII, N.4, 367-378.
- Papadakis, I.E., Veneti, G., Chatzissavvidis, C. & Therios, I. (2018). Physiological and growth responses of sour cherry (*Prunus cerasus* L.) plants subjected to short-term salinity stress. *Acta Botanica Croatica*, 77, 197-202.
- Papadakis, I.E., Veneti, G., Chatzissavvidis, C., Sotiropoulos, T.E., Dimassi, K.N. & Therios I.N. (2007). Growth, mineral composition, leaf chlorophyll and water relationships of two cherry varieties under NaCl-induced salinity stress. *Soil Science and Plant Nutrition*, 53, 252-258.
- Papadopoulos D., Zafeiriou E., Karelakis C. (2015). Income optimization of energy crops in Greece under different CAP scenarios. *Procedia Economics and Finance* 33, 388 – 397.
- Papadopoulos I.I., Tokatlidis I.S., Tamoutsidis E.G., Koutsika-Sotiriou M. and S.D. Kouroubas. 2007. Crop yield potential estimation under too low density in dry bean genotypes. *International Journal of Plant Breeding and Genetics* 1(2):75-81.
- Papadopoulos II, IS Tokatlidis, Koutika-Sotiriou M, Tamoutsidis E, Kouroubas S, 2007. Crop yield potential estimated under too low density effectively predicts performance under dense stand in dry bean. *International Journal of Plant Breeding and Genetics*, 1: 75-81.
- Papadopoulos II, Tokatlidis IS, 2011. A novel statistic estimated in the absence of competition to foresee genotype performance at the farming conditions parallels the agronomic concept of stability. *Australian Journal of Crop Science*, 5(7):822-830.
- Papadopoulos S, Karelakis C, Zafeiriou E, Koutroumanidis Th. (2015). Going sustainable or conventional? Evaluating the CAP's Impacts on the implementation of sustainable forms of agriculture in Greece. *Land Use Policy*, Vol.47, 90-97.
- Papadopoulos S., Zafeiriou E., Karelakis C., Koutroumanidis Th. (2018). Organics or not? Prospects for Uptaking Organic Farming. *New Medit*, n.1/2018. DOI: 10.30682/nm1801b.

- Papaevangelou, V.A., Gikas, G.D. Vryzas, Z., Tsirhrintzis, V.A. (2017). Treatment of agricultural equipment rinsing water containing a fungicide in pilot-scale horizontal subsurface flow constructed wetlands. *Ecological Engineering*, 101, 193-200.
- Papafotopoulou-Patrinou, E., Gialleli, A.-I., Kallis, M., Plessas, S., Alexopoulos, A., Mantzourani, I., & Koutinas, A. (2016). Microbiological assessment of tubular cellulose filters used for liquid foods cold pasteurization. *LWT-Food Science and Technology*, 67, 151–158.
- Papakosta D.K. and S.D. Koutroubas. 1997. Soybean cultivation and research in Greece: present status and perspectives for the future. *Eurosoya* 11: 114-117.
- Papanikolaou Z., Karelakis C., Mattas K. (2017). Exploring the antecedents of export competitive advantage of Greek yogurt firms. *New Medit.* n. 4/2017 pp. 48-55.
- Papanikolaou Z., Karelakis C., Mattas K. (2018). Exploring the antecedents of export motivation: The case of the Greek yogurt firms. *International Journal of Globalisation and Small Business*. Vol 10 (1) in press.
- Paparnakis, A., Chatzissavvidis, C. & Antoniadis, V. (2013). How apple responds to boron excess in acidic and limed soil. *Journal of Soil Science and Plant Nutrition*, 4, 787-796.
- Pappas M. L., Migkou F. and G.D. Broufas 2013. Incidence of resistance to neonicotinoid insecticides in greenhouse populations of the whitefly, *Trialeurodes vaporariorum* (Hemiptera: Aleyrodidae) from Greece. *Applied Entomology and Zoology* 48: 373-378
- Pappas M.L. and D.S. Koveos, 2011. Life-history Traits of the Predatory Lacewing *Dichochrysa prasina* (Neuroptera: Chrysopidae): Temperature - Dependent Effects when Larvae Feed on Nymphs of *Myzus persicae* (Homoptera: Aphididae). *Annals of the Entomological Society of America* 104(1): 43-49.
- Pappas M.L., G.D. Broufas and D.S. Koveos, 2008. Effect of relative humidity on development, survival and reproduction of the predatory lacewing *Dichochrysa prasina* (Neuroptera: Chrysopidae). *Biological Control* 46: 234-241.
- Pappas M.L., G.D. Broufas and D.S. Koveos, 2008. Effect of temperature on survival, development and reproduction of the predatory lacewing *Dichochrysa prasina* (Neuroptera: Chrysopidae) reared on *Ephestia kuehniella* eggs (Lepidoptera: Pyralidae). *Biological Control* 45: 396-403.
- Pappas M.L., G.D. Broufas and D.S. Koveos, 2008. The two spotted spider mite, *Tetranychus urticae* (Acari: Tetranychidae), alternative prey for the lacewing *Dichochrysa prasina* (Neuroptera: Chrysopidae). *European Journal of Entomology* 105: 461-466.
- Pappas M.L., G.D. Broufas and D.S. Koveos, 2009. Effect of prey availability on development and reproduction of the predatory lacewing *Dichochrysa prasina* (Neuroptera: Chrysopidae). *Annals of the Entomological Society of America* 102(3): 437-444.
- Pappas M.L., G.D. Broufas, N. Koufali, P. Pieri and D.S. Koveos, 2011. Effect of heat stress on survival and reproduction of the olive fruit fly *Bactocera* (*Dacus*) *oleae*. *Journal of Applied Entomology* 135(5): 359-366.

- Pappas M.L., Karagiorgou E., Papaioannou G., Koveos D.S. and G.D. Broufas 2013. Developmental temperature responses of *Chrysoperla agilis* (Neuroptera: Chrysopidae), a member of the European carnea cryptic species group. *Biological Control* 64(3):291-298.
- Pappas M.L., Xanthis C., Samaras K., Koveos D.S. and G.D. Broufas 2013. Potential of the predatory mite *Phytoseius finitimus* (Acari: Phytoseiidae) to feed and reproduce on greenhouse pests. *Experimental and Applied Acarology* 61(4): 387-401.
- Pappas ML, Broufas G.D., Tsarsitalidou O.K. And D.S. Koveos, 2011. Development and reproduction of the lacewings *Dichochrysa flavifrons* and *Dichochrysa zelleri* (Neuroptera: Chrysopidae) fed on two prey species. *Annals of the Entomological Society of America* 104(4): 726-732.
- Pappas, M.L., Broufas, G.D. and D.S. Koveos, 2005. Mating behavior of the predatory mite *Kampimodromus aberrans* (Acari: Phytoseiidae). *Experimental & Applied Acarology* 36: 187-197.
- Pappas, M.L., Broufas, G.D. and D.S. Koveos, 2007. Effect of mating frequency on fecundity and longevity of the predatory mite *Kampimodromus aberrans* (Acari: Phytoseiidae). *Experimental & Applied Acarology* 43(3): 161-170.
- Pappas, M.L., Broufas, G.D. and D.S. Koveos, 2007. Effects of various prey species on development, survival and reproduction of the predatory lacewing *Dichochrysa prasina* (Neuroptera: Chrysopidae). *Biological Control* 43: 163-170.
- Pappas, M.L., Broufas, G.D. and D.S. Koveos, 2011. Chrysopid predators and their role in biological control. *Journal of Entomology* 8(3): 301-326.
- Pareja, L., Niell, S., Vryzas, Z., González, J., Cesio, M.V., Mourkidou, E.P., Heinzen, H. (2015). Comparison and evaluation of two methods for the pesticide residue analysis of organophosphates in yerba mate. *Brazilian Journal of Pharmacognosy*, 25, 98-104.
- Petrakis, A.E., Kimbaris, A.C., Papas, S.C., Tarantilis, A.P., & Polissiou, G.M. (2009). Quantitative determination of pulegone in pennyroyal oil by FT-IR spectroscopy. *Journal of Agricultural and Food Chemistry* 57, 10044-10048.
- Petrakis, E. A., Kimbaris, A.C., Lykouressis D.P, Polissiou, M.G. & Perdikis, D.Ch. (2015). Hydrosols evaluation in pest control: insecticidal and settling inhibition potential against *Myzus persicae* (Sulzer). *Journal of Applied Entomology*, 139(4), 260-267.
- Petrakis, E., Kimbaris, C.A., Perdikis, Ch.D., Lykouressis, P., Tarantilis, A.P., & Polissiou M. (2014). Responses of *Myzus persicae* (Sulzer) to three Lamiaceae essential oils obtained by microwave-assisted and conventional hydrodistillation. *Industrial Crops and Products*, 62, 272–279.
- Pieterse, C.M.J.* , Zamioudis, C.* , Berendsen, R.L., Weller, D.M., Van Wees, S.C.M., and Bakker, P.A.H.M. (2014). Induced systemic resistance by beneficial microbes. *Annual Review of Phytopathology*, 52, 347–375.
- Pieterse, C.M.J., Van der Does, D., Zamioudis, C., Leon-Reyes, A., and Van Wees, S.C.M. (2012). Hormonal modulation of plant immunity. *Annual Review of Cell and Developmental Biology*, 28, 489-521.

- Plessas, S., Alexopoulos, A., Bekatorou, A., Mantzourani, I., Koutinas, A. A., & Bezirtzoglou, E. (2011). Examination of freshness degradation of sourdough bread made with kefir through monitoring the aroma volatile composition during storage. *Food Chemistry*, 124(2), 627–633.
- Plessas, S., Mantzourani, I., Bekatorou, A., Alexopoulos, A., & Bezirtzoglou, E. (2015). New Biotechnological Approaches in Sourdough Bread Production Regarding Starter Culture Applications. *Advances in Food Biotechnology*, 277.
- Plessas, S., Alexopoulos, A., Bekatorou, A., & Bezirtzoglou, E. (2012). Kefir immobilized on corn grains as biocatalyst for lactic acid fermentation and sourdough bread making. *Journal of Food Science*, 77(12), C1256–C1262.
- Plessas, S., Alexopoulos, A., Mantzourani, I., Koutinas, A., Voidarou, C., Stavropoulou, E., & Bezirtzoglou, E. (2011). Application of novel starter cultures for sourdough bread production. *Anaerobe*, 17(6), 486–489.
- Plessas, S., Alexopoulos, A., Voidarou, C., Stavropoulou, E., & Bezirtzoglou, E. (2011). Microbial ecology and quality assurance in food fermentation systems. The case of kefir grains application. *Anaerobe*, 17(6), 483–485.
- Plessas, S., Bosnea, L., Alexopoulos, A., & Bezirtzoglou, E. (2012). Potential effects of probiotics in cheese and yogurt production: A review. *Engineering in Life Sciences*, 12(4), 433–440.
- Plessas, S., Koliopoulos, D., Kourkoutas, Y., Psarianos, C., Alexopoulos, A., Marchant, R., & Koutinas, A. A. (2008). Upgrading of discarded oranges through fermentation using kefir in food industry. *Food Chemistry*, 106(1), 40–49.
- Plessas, S., Nouska, C., Karapetsas, A., Kazakos, S., Alexopoulos, A., Mantzourani, I., & Bezirtzoglou, E. (2017). Isolation, characterization and evaluation of the probiotic potential of a novel *Lactobacillus* strain isolated from Feta-type cheese. *Food Chemistry*, 226, 102–108.
- Plessas, S., Nouska, C., Mantzourani, I., Kourkoutas, Y., Alexopoulos, A., & Bezirtzoglou, E. (2017). Microbiological exploration of different types of kefir grains. *Fermentation*, 3(1), 1.
- Polymeros, K., Karelakis C. and Kaimakoudi E. (2010). A path analysis approach in investigating the performance of the Greek fisheries market. *Food Economics - Acta Agriculturae Scandinavica, Section C*, Vol.7, Issue 02-04, 128-138.
- Pythoglou, P., Vryzas, Z., Alexoudis, C., Senseman, S.A., Vassiliou, G., (2012). Influence of biotic and abiotic factors on dissipation of fenoxaprop-p-ethyl in water. *Fresenius Environmental Bulletin*, 21, 3012-3017.
- Ragkos, A., Siasiou, A., Galanopoulos, K., Lagka, V. 2014. Mountainous grasslands sustaining traditional livestock systems: The economic performance of sheep and goat transhumance in Greece. *Options Méditerranéennes*, 109, pp. 575-579.
- Raptou E., Mattas, K. & Katrakilidis C. (2009). Investigating smoker's profile: The role of psychosocial characteristics and the effectiveness of tobacco policy tools. *American Journal of Economics and Sociology*, 68(2), 603-638.

- Raptou E., Mattas, K., Tsakiridou, E. & Katrakilidis, C. (2005). Factors affecting cigarette demand. *International Advances in Economic Research*, 11(3), 275-290.
- Raptou E., Papastefanou G. & Mattas, K. (2017). Investigating the influence of eating habits, body weight and television programme preferences on television viewing time and domestic computer usage. *Perspectives in Public Health*, 137(1), 59-72.
- Raptou, E. & Papastefanou, G. (2018). An empirical investigation of the impact of smoking on body weight using an endogenous treatment effects model approach: the role of food consumption patterns. *Nutrition Journal*, 17, 101.
- Raptou, E., Galanopoulos, K., Katrakilidis, C., Mattas, K. 2012. Public support towards tobacco control: implications for consumer's responsiveness, advocacy actions and public policy planning. *American Journal Health Behavior*, 36(5): 666-680.
- Raptou, E., Mattas, K. & Katrakilidis, C. (2005). Analysing the determinants of smoking behaviour and their differences across various smoking groups. *Journal of Macromarketing*, 25(2), 263-264. (Δημοσιευμένη περίληψη άρθρου)
- Raptou, E., Mattas, K., Tzimitra-Kalogianni, I. & Papadopoulou H. 2006. How tobacco control policy affects smoking expenditures: A microeconometric approach. *International Review of Applied Economic Research*, 1(2), 125-142.
- Rezaei R, Damalas CA, Abdollahzadeh G (2018) Understanding farmers' safety behaviour towards pesticide exposure and other occupational risks: The case of Zanjan, Iran. *Science of the Total Environment* 616-617:1190-1198.
- Rezaei-Chiyaneh E, Seyyedi SM, Ebrahimian E, Moghaddam SS, Damalas CA (2018). Exogenous application of gamma-aminobutyric acid (GABA) alleviates the effect of water deficit stress in black cumin (*Nigella sativa L.*). *Industrial Crops and Products* 112:741-748.
- Rotas, G., Kimbaris, ,A., & Varvounis, G. (2011). Synthesis of a novel pyrrolo[1,2-c][1.3]benzodiazepine analogue of VPA-985. *Tetrahedron*, 67 (40), 7805-7810.
- Rotas, G., Kimbaris, A., & Varvounis G. (2004). Synthesis of 5-alkyl(or aryl)pyrrolo[1,2-a]quinoxalin-4(5H)-ones by denitrocyclisation of N-alkyl(or aryl)-1-(2-nitrophenyl)-1H-pyrrole-2-carboxamides. Evidence of a Smiles rearrangement *Tetrahedron*, 60 (48), 10825-10832.
- Rotas, G., Natchkebia, K., Natsvlishvili, N., Kimbaris, A., Varvounis G., & Mikeladze, D. (2005). Action of a novel pyrrolo[1,2-c][1.3]benzodiazepine on the viability of Jurkat and neuronal/glial cells. *Bioorganic & Medicinal Chemistry Letters*, 15 (13), 3220-3223.
- Rozos, G, Vatopoulos, A., Voidarou, X., Vassos, D., Alexopoulos, A., Plessas, S., & Bezirtzoglou, E. (2010). Phenotypical profile against antibiotics of *Lactobacillus* sp isolated from artisanal cheeses. *International Journal of Infectious Diseases*, 14, e64–e65.
- Rozos, G., Voidarou, C., Stavropoulou, E., Skoufos, I., Tzora, A., Alexopoulos, A., & Bezirtzoglou, E. (2018). Biodiversity and Microbial Resistance of *Lactobacilli* Isolated From the Traditional Greek Cheese Kopanisti. *Frontiers in Microbiology*, 9, 517.
- Saeed MF, Shaheen M, Ahmad I, Zakir A, Nadeem M, Chishti AA, Shahid M, Bakhsh K, Damalas CA (2017) Pesticide exposure in the local community of Vehari District in

- Pakistan: an assessment of knowledge and residues in human blood. *Science of the Total Environment* 587-588:137-144.
- Sarafi, E., Tsouvaltzis, P., Chatzissavvidis, C., Siomos, A., & Therios, I. (2017). Melatonin and resveratrol reverse the toxic effect of high B and modulate biochemical parameters in pepper plants (*Capsicum annuum L.*). *Plant Physiology & Biochemistry*, 112, 173-182.
- Sarafi, E., C. Chatzissavvidis, & Therios, I. (2017). Response of two pomegranate (*Punica granatum L.*) cultivars to six boron concentrations: Growth performance, nutrient status, gas exchange parameters, chlorophyll fluorescence and proline and carbohydrate content. *Journal of Plant Nutrition*, 40, 983-994.
- Sarafi, E., Siomos, A., Tsouvaltzis, P., Chatzissavvidis, C., & Therios, I. (2017). Boron and maturity effects on biochemical parameters and antioxidant activity of pepper (*Capsicum annuum L.*) cultivars. *Turkish Journal of Agriculture & Forestry*, 42, 237-247.
- Sarafi, E., Siomos, A., Tsouvaltzis, P., Chatzissavvidis, C., & Therios, I. (2017). Boron toxicity effects on the concentration of pigments, carbohydrates and nutrient elements in six non-grafted pepper cultivars (*Capsicum annuum L.*) influenced by high boron. *Indian Journal Plant Physiology*, 23, 474-485.
- Sarafi, E., Siomos, A., Tsouvaltzis, P., Chatzissavvidis, C., & Therios, I. (2017). Boron toxicity effects on grafted and non-grafted pepper (*Capsicum annuum L.*) plants. *Journal of Soil Science and Plant Nutrition*, 17, 441-460.
- Sarafi, E., Siomos, A., Tsouvaltzis, P., Therios, I., & Chatzissavvidis, C. (2017). The influence of boron on pepper plants nutritional status and nutrient efficiency. *Journal of Soil Science and Plant Nutrition*, 18, 653-667.
- Sarafi, E., Chatzissavvidis, C., & Therios, I. (2014). Effect of calcium and boron on the ion status, carbohydrate and proline content, gas exchange parameters and growth performance of pomegranate cv. Wonderful plants grown under NaCl stress. *Turkish Journal of Agricultural and Natural Sciences*, 2, 1606-1617.
- Sariannidis N., Zafeiriou E., Giannarakis G., and Arabatzis G. 2013. CO₂ Emissions and Financial Performance of Socially Responsible Firms: An Empirical Survey Business Strategy and the Environment, 22(2), pages 109–120.
- Sariannidis N., and Zafeiriou E., (2011). “The spillover effect of financial factors on the inferior rice market”. *International Journal of Food, Agriculture & Environment (JFAE)* Vol. 9, Issue 1, pages 336-341. ISSN 1459-0255 (Impact Factor: 0.517).
- Sariannidis, N., Giannarakis, G., Zafeiriou, E., & Billias, I. (2016). The Effect of Crude Oil Price Moments on Socially Responsible Firms in Eurozone. *International Journal of Energy Economics and Policy*, 6(2).
- Sarropoulou, V., Chatzissavvidis C., Dimassi-Therios, K. & Therios, I. (2015). Effect of asparagine, cysteine, citrulline, and glutamine on in vitro rooting and biochemical constituents in cherry rootstocks. *Biologia Plantarum*, 60, 1-12.
- Saykhul, A., Chatzissavvidis, C., Dimassi, K., Therios, I. & Chatzistathis, T. (2014). Growth and nutrient status of olive plants as influenced by foliar potassium applications. *Journal of Soil Science and Plant Nutrition*, 14, 602-615.

- Saykhul, A., Chatzistathis, T., Chatzissavvidis, C., Koundouras, S., Therios, I. & Dimassi, K. (2013). Potassium utilization efficiency of three olive cultivars grown in a hydroponic system. *Scientia Horticulturae*, 162, 55-62.
- Saykhul, A., Chatzistathis, T., Chatzissavvidis, C., Therios, I. & Dimassi-Theriou, K. (2014). Root growth of cultivated and 'wild' olive in response to potassium mineral nutrition. *Journal of Plant Nutrition*, 39, 1513-1523.
- Sazakli, E., Alexopoulos, A., & Leotsinidis, M. (2007). Rainwater harvesting, quality assessment and utilization in Kefalonia Island, Greece. *Water Research*, 41(9), 2039–2047.
- Schinias V., M. Leotsinidis, A. Alexopoulos, V. Tsapanos and X.G. Kondakis. Organochlorine Pesticide Residues in Human Breast Milk from SW Greece. Associations with the Weekly Food Consumption Pattern of the Mothers. *Arch. Environ. Health*, 2000, (55): 411-417.
- Sharifzadeh MS, Abdollahzadeh G, Damalas CA, Rezaei R (2018) Farmers' criteria for pesticide selection and use in the pest control process. *Agriculture* 8:24.
- Sharifzadeh MS, Damalas CA, Abdollahzadeh G (2017) Perceived usefulness of personal protective equipment in pesticide use predicts farmers' willingness to use it. *Science of the Total Environment* 609: 517-523.
- Sharifzadeh MS, Damalas CA, Abdollahzadeh G, Ahmadi-Gorgi H (2017) Predicting adoption of biological control among Iranian rice farmers: An application of the extended technology acceptance model (TAM2). *Crop Protection* 96:88-96.
- Siasiou, A., Galanopoulos, K., Mitsopoulos, I., Ragkos, A., Laga, V. 2018. Transhumant Sheep and Goat Farming Sector in Greece. *Iranian Journal of Applied Animal Science*. 8(4): 615-622.
- Siasiou, A., Mitsopoulos, I., Michas, V., Lymeropoulos, A., Lagka, V., Galanopoulos, K. 2015. Nutritional Management Analysis of the Transhumant Sheep and Goat Farms in the Region of Sterea Ellada-Greece. *Scientific Papers: Animal Science and Biotechnologies*, 48 (1): 302-306.
- Siatis, N.G., Kimbaris, A.C., Pappas, C.S., Daferera, D.J., Tarantilis, A.P., & Polissiou G.M. (2005). Rapid method for simultaneous quantitative determination of four major essential oil components from oregano (*Oreganum sp.*) and thyme (*Thymus sp.*) using FT-Raman spectroscopy. *Journal of Agricultural and Food Chemistry*, 53 (2), 202-206.
- Siatis, N.G., Kimbaris, A.C., Pappas, C.S., Tarantilis, A.P., & Polissiou, G.M. (2006). Improvement of biodiesel production based on the application of ultrasound: Monitoring of the procedure by FT-IR spectroscopy. *Journal of the American Oil Chemists Society*, 83 (1), 53-57.
- Sinapidou, E., Williams, K., Bahkt, S., Tor, M., Crute, I.R., Bittner-Eddy, P.D. and Beynon, J.L., 2004. The RPP2 locus of *Arabidopsis* accession Col-5 contains at least two genes required for isolate specific recognition of *Peronospora parasitica* isolate Cala2. *Plant Journal* 38: 898-909
- Sotirios Papadopoulos, Eleni Zafeiriou, Christos Karelakis. (2015). Investigating farmer's perceptions for adopting alternative farming systems. Springer Verlag The First Decade of Living with the Global Crisis Part of the series, Contributions to Economics. 33-45.

- Sotiropoulou, D.N., Kokkini, M., Megremi, P.S-F., Daferera, J.D., Skotti, P.E, Kimbaris, C.A, Polissiou, G.M., & Tarantilis, A.P. (2016). Determination of α-and β-thujone in Wormwood and Sage Infusions of Greek flora and Estimation of their Average Toxicity. *Current Research in Nutrition and Food Science*, 4(SI. 2), 152-160.
- Stefanis, C., Alexopoulos, A., Voidarou, C., Vavias, S., & Bezirtzoglou, E. (2013). Principal methods for isolation and identification of soil microbial communities. *Folia Microbiologica*, 58(1), 61–68.
- Stefanis, C., Alexopoulos, A., Voidarou, C., Vavias, S., & Bezirtzoglou, E. (2014). Prevalence of *C. perfringens* in agricultural fields with different vegetation types. *Folia Microbiologica*, 59(1), 1–4.
- Stefanis, C., Mantzourani, I., Plessas, S., Alexopoulos, A., Galanis, A., & Bezirtzoglou, E. (2016). Reviewing classical and molecular techniques regarding profiling of probiotic character of microorganisms. *Current Research in Nutrition and Food Science Journal*, 4(1), 27–47.
- Stringlis I.A., Zamioudis C., Berendsen R.L., Bakker P.A.H.M., Pieterse C.M.J. (2019). Type III secretion system of beneficial rhizobacteria *Pseudomonas simiae* WCS417 and *Pseudomonas defensor* WCS374. *Frontiers in Microbiology*, 10, Article 1631.
- Stringlis, I., Proietti, S., Hickman, R., van Verk, M., Zamioudis, C., and Pieterse C. (2016). Root transcriptional dynamics induced by beneficial rhizobacteria and microbial immune elicitors reveal signatures of adaptation to mutualists (2018). *Plant Journal*, 93(1), 166-180.
- Surry, Y., Galanopoulos, K. 2014. A random matrix theory approach to test for agricultural productivity convergence. *Applied Economic Letters*, 21(18):1319-1323.
- Tertivanidis K, Koutita O, Papadopoulos II, Tokatlidis IS, Tamoutsidis EG, Pappa-Michaillidou V, Koutsika – Sotiriou M, 2008. Genetic diversity in dry bean populations based on random amplified polymorphic DNA markers. *Biotechnology*, 7: 1-9.
- Theodoridis, A., Ragkos, A., Roustemis, D., Galanopoulos, K., Abas, Z., Sinapis, E. 2012. Assessing technical efficiency of Chios sheep farms with data envelopment analysis. *Small Ruminant Research*, 107(2-3): 85-91.
- Theodosiou G., Karelakis C., Goulas A. (2018). The new Common Agricultural Policy: opportunity or threat? Perceptions of Greek farmers. *African Journal of Agricultural Research*. Vol.13 (10), pp 440-451.
- Tokatlidis I., Vlachostergios D. 2016. Sustainable stewardship of the landrace diversity. *Diversity*, 8, 29; doi:10.3390/d8040029
- Tokatlidis I.S. 2015. Conservation breeding of elite cultivars. *Crop Science*, 55:2417-2434.
- Tokatlidis I.S. 2016. Sampling the spatial heterogeneity of the honeycomb model in maize and wheat breeding trials: Analysis of secondary data compared to popular classical designs. *Experimental Agriculture*, 53:371-390
- Tokatlidis I.S. 2017. Crop adaptation to density to optimise grain yield: breeding implications. *Euphytica*, 213:92 DOI 10.1007/s10681-017-1874-8

- Tokatlidis I.S. and S.D. Koutroubas. 2004. A review of maize hybrids dependence on plant population and its implications to crop yield stability. *Field Crops Research* 88: 103-114.
- Tokatlidis I.S., 2014. Addressing the yield by density interaction is a prerequisite to bridge the yield gap of rain-fed wheat," *Annals of Applied Biology*, 165:27-42.
- Tokatlidis I.S., Dordas C., Papathanasiou F., Papadopoulos I., Pankou C., Gekas F., Ninou E., Mylonas I., Tzantarmas C., Petrevska J.-K., Kargiotidou A., Sistanis I., Lithourgidis A. 2015. Improved plant yield efficiency is essential for maize rainfed production. *Agronomy Journal*, 107:1011-1018
- Tokatlidis I.S., Remountakis E. 2019. The Impacts of Interplant Variation on Aboveground Biomass, Grain Yield, and Harvest Index in Maize. *International Journal of Plant Production*, DOI 10.1007/s42106-019-00067-3
- Tokatlidis I.S., Tsikrikoni C., Lithourgidis A.S., Tsialtas J.T., Tzantarmas C. (2011) Intra-cultivar variation in cotton: response to single-plant yield selection at low density. *Journal of Agricultural Science*, 149:197-204.
- Tokatlidis IS, 2000. Variation within maize lines in the absence of competition and relation between hybrid potential yield per plant with line traits. *Journal of Agricultural Science*, 134: 391-398.
- Tokatlidis IS, 2001. The effect of improved potential yield per plant on crop yield potential and optimum plant density in maize hybrids. *Journal of Agricultural Science*, 137: 299-305.
- Tokatlidis IS, Has V, Melidis V, Has I, Mylonas I, Evgenidis G, Compandean A, Ninou E, Fasoula V, 2011. Maize hybrids less dependent on high plant densities improve resource use efficiency in rainfed and irrigated conditions. *Field Crops Research*, 120: 345-351.
- Tokatlidis IS, Has V, Mylonas I, Has I, Evgenidis G, Melidis V, Compandean A, Ninou E, 2010. Density effects on environmental variance and expected response to selection in maize (*Zea mays L.*). *Euphytica*, 174: 283-291.
- Tokatlidis IS, Kourtoubas SD, 2004. A review study of the maize hybrids' dependence on high plant populations and its implications on crop yield stability. *Field Crops Research*, 88: 103-114.
- Tokatlidis IS, Koutsika-Sotiriou M, Fasoulas AC, 1999. Load of deleterious genes and stability of performance in maize. *Maydica*, 44:127-132.
- Tokatlidis IS, Koutsika-Sotiriou M, Fasoulas AC, 2001. The development of density-independent hybrids in maize. *Maydica*, 46: 21-25.
- Tokatlidis IS, Koutsika-Sotiriou M, Fasoulas AC, Tsafaris AS, 1998. Improving maize hybrids for potential yield per plant. *Maydica*, 43:123-129.
- Tokatlidis IS, Koutsika-Sotiriou M, Tamoutsidis E, 2005. Benefits from using maize density-independent hybrids. *Maydica*, 50: 9-17.
- Tokatlidis IS, Papadopoulos II, Baxevanos D, Koutita O, 2010. GxE effects on single-plant selection at low density for yield and stability in climbing dry bean. *Crop Science*, 50: 775-783.

- Tokatlidis IS, Tsialtas JT, Xynias IN, Tamoutsidis E, Irakli M, 2004. Variation within a bread wheat cultivar for grain yield, protein content, carbon isotope discrimination and ash content. *Field Crops Research*, 86: 33-42.
- Tokatlidis IS, Tsikrikoni C, Tsialtas JT, Lithourgidis AS, Bebeli P. 2008. Variability within cotton cultivars for yield, fibre quality and physiological traits. *Journal of Agricultural Science*, 146:483-490.
- Tokatlidis IS, Xynias IN, Tsialtas JT, Papadopoulos II, 2006. Single-plant selection at ultra-low density to improve stability of a bread wheat cultivar. *Crop Science*, 46: 90-97.
- Tokatlidis IS. 2013. Adapting maize crop to climatic changes. A review. *Agronomy for Sustainable Development*, 33: 63-79.
- Tokatlidis IS, Koutsika-Sotiriou M, Pessios E. 2008. Beneficial exploitation of additive genetic effects to improve yield potential per plant in maize. *Cereal Research Communications*, 36: 461-470.
- Tokatlidis IS, Tsialtas JT. 2008. Comparative analysis of two crop yield potential models based on yield potential per plant of maize and bread wheat genotypes. *Asian Journal of Plant Sciences*, 7:241-250.
- Toorminaee V, Allahyari MS, Damalas CA, Aminpanah H (2017) Double cropping in paddy fields of northern Iran: current trends and determinants of adoption. *Land Use Policy* 62:59-67.
- Tör, M., Gordon, P., Cuzick, A., Eulgem, T., Sinapidou, E., Mert-Türk, F., Can, C., Dangl, J.L. and Holub, E.B., 2002. Arabidopsis SGT1b is required for defense signaling conferred by several downy mildew resistance genes. *Plant Cell*, 14: 993-1003
- Traka, Ch. K, E. A. Petrakis, A. C. Kimbaris, M. G. Polissiou, D. Ch. Perdikis. (2018). Effects of Ocimum basilicum and Ruta chalepensis hydrosols on Aphid gossypii and Tetranychus urticae. *J Appl Entomol*. 142(4), 413-420. DOI: 10.1111/jen.12486.
- Tsaboula, A., Menexes, G., Papadakis, E.-N., Kotopoulou, A., Kintzikoglou, K., Vryzas, Z., Papadopoulou-Mourkidou, E. (2018). Assessment and management of pesticide pollution at a river basin level part II: Optimization of pesticide monitoring networks on surface aquatic ecosystems by data analysis methods. *Science of the Total Environment*, 653, 1612-1622.
- Tsaboula, A., Papadakis, E.-N., Vryzas, Z., (...), Kintzikoglou, K., Papadopoulou-Mourkidou, E. (2018) Assessment and management of pesticide pollution at a river basin level part I: Aquatic ecotoxicological quality indices. *Science of the Total Environment*, 653, 1597-1611.
- Tsaboula, A., Papadakis, E.-N., Vryzas, Z., Kotopoulou, A., Kintzikoglou, K., Papadopoulou-Mourkidou, E. (2016). Environmental and human risk hierarchy of pesticides: A prioritization method, based on monitoring, hazard assessment and environmental fate. *Environment International*, 91, 78-93.
- Tsanaktsidis, C., Zafeiriou, E., Spinthiropoulos, K., Kasapidis, G., & Itziou, A. (2018, August). *Oreganum vulgare*; techno-economic analysis for the alternative uses and the role of

- soil-climate conditions. In IOP Conference Series: Earth and Environmental Science (Vol. 185, No. 1, p. 012025). IOP Publishing.
- Tsantopoulos G., Karelakis C., Zafeiriou E., Tsoulakaki D. (2014). Mapping the rural problem and development: what do Greek landowners think? Procedia Economics and Finance, Vol 9, 208-218.
- Tsialtas JT, IS Tokatlidis. 2008. Use of carbon isotope discrimination (Δ) in breeding of C₃ cereals under water deficit conditions. Asian Journal of Plant Sciences, 7: 518-525.
- Tsialtas JT, Papadopoulos II, Tamoutsidis EG, Tokatlidis IS, 2011. Relationships of grain carbon isotope discrimination (Δ) and ash content with yield and quality in dry bean. Journal of Agricultural Science, 149: 273-281.
- Tsialtas JT, Tokatlidis I, Tamoutsidis E, Xinias I, 2001. Grain carbon isotope discrimination and ash content of bread wheat individual plants of cv. Nestos selected for high and low yield in absence of competition. Cereal Research Communications, 29 (3-4): 391-396.
- Tsialtas JT, Tokatlidis IS, Tamoutsidis E, Xynias I, 2005. Relationship of grain yield with carbon isotope discrimination and ash content in lines derived from a bread wheat cultivar. Journal of Agricultural Science, 143: 275-282.
- Tsialtas JT, Tokatlidis IS, Tsikrikoni C, Lithourgidis AS. 2008. Leaf carbon isotope discrimination, ash content and K relationships with seedcotton yield and lint quality in lines of *Gossypium hirsutum* L. Field Crops Research, 107: 70-77.
- Tsiantikoudis, S., Zafeiriou, E., Kyriakopoulos, G., & Arabatzis, G. (2019). Revising the Environmental Kuznets Curve for Deforestation: An Empirical Study for Bulgaria. Sustainability, 11(16), 4364.
- Tsiaousi A., I. Vasilakoglou, I. Gravalos and S.D. Koutroubas. 2019. Comparison of milk thistle (*Silybum marianum*) and cardoon (*Cynara cardunculus*) productivity for energy biomass under weedy and weed-free conditions. European Journal of Agronomy 110:, p.125924.
- van Maanen R., Broufas G., Oveja M.F., Sabelis M.W. and A. Janssen, 2011. Intraguild predation among herbivorous insects: western flower thrips larvae feed on whitefly crawlers. BioControl 57 (4): 533-539.
- van Maanen R., Broufas G., P. de Jong, Aguilar-Fenellosa E., A. Revynthy, Sabelis M. W. and A. Janssen 2015. Predators marked with chemical cues from one prey have increased attack success on another prey species. Ecological Entomology 40:60-68.
- Vassos, D., Bezirtzoglou, E., Voidarou, C., Alexopoulos, A., & Maipa, V. (2009). Biochemical and antimicrobial profile of *Enterococcus faecium* and *E. faecalis* isolated from traditional dairy products and infant intestinal microbiota. Microbial Ecology in Health and Disease, 21(3-4), 241–250.
- Vassos, D., Bezirtzoglou, E., Voidarou, C., Alexopoulos, A., & Maipa, V. (2009). Survey of probiotic enterococci from traditional dairy products and their impact upon the infant intestinal microbiota. The Journal of General and Applied Microbiology, 55(4), 311–315.
- Vassos, D., Maipa, V., Voidarou, C., Alexopoulos, A., & Bezirtzoglou, E. (2008). Development of human lactic acid (LAB) gastrointestinal microbiota in a Greek rural population. Central European Journal of Biology, 3(1), 55–60.

- Vavias, S., Alexopoulos, A., Plessas, S., Stefanis, C., Voidarou, C., Stavropoulou, E., & Bezirtzoglou, E. (2011). Microbial ecology of the watery ecosystems of Evros river in North Eastern Greece and its influence upon the cultivated soil ecosystem. *Anaerobe*, 17(6), 325–329.
- Vlachostergios D.N., Tzantarmas C., Kargiotidou A., Ninou E., Pankou C., Gaintatzis C., Mylonas I., Papadopoulos I., Foti C., Chatzivassiliou E., Sinapidou E., Lithourgidis A., Tokatlidis I.S. 2018. Single-plant selection within lentil landraces at ultra-low density: a short-time tool to breed high yielding and stable varieties across divergent environments. *Euphytica*, 214:58 DOI org/10.1007/s10681-018-2139-x
- Voidarou, C., Alexopoulos, A., Plessas, S., Karapanou, A., Mantzourani, I., Stavropoulou, E., & Bezirtzoglou, E. (2011). Antibacterial activity of different honeys against pathogenic bacteria. *Anaerobe*, 17(6), 375–379.
- Voidarou, C., Vassos, D., Kegos, T., Koutsotoli, A., Tsotsias, A., Skoufos, J., & Bezirtzoglou, E. (2007). Aerobic and anaerobic microbiology of the immersion chilling procedure during poultry processing. *Poultry Science*, 86(6), 1218–1222.
- Voidarou, C., Alexopoulos, A., Plessas, S., Noussias, H., Stavropoulou, E., Fotou, K., & Demertzis-Akrida, K. (2011). Microbiological quality of grey-mullet roe. *Anaerobe*, 17(6), 273–275.
- Voidarou, C., Alexopoulos, A., Plessas, S., Stavropoulou, E., Fotou, K., Tzora, A., & Bezirtzoglou, E. (2011). Hygienic quality and antibiotic resistance profile of sliced butchery. *Anaerobe*, 17(6), 344–350.
- Voidarou, C., Bezirtzoglou, E., Alexopoulos, A., Plessas, S., Stefanis, C., Papadopoulos, I., & Tzora, A. (2011). Occurrence of Clostridium perfringens from different cultivated soils. *Anaerobe*, 17(6), 320–324.
- Voidarou, C., Rozos, G., Alexopoulos, A., Plessas, S., Stavropoulou, E., Demertzis, P. G., & Bezirtzoglou, E. (2012). Modified Atmosphere Packaging Failure and Its Effect on the Microbiological Quality of the Product. *Journal of Food Science and Engineering*, 2(6), 336.
- Voidarou, C., Tzora, A., Malamou, O., Akrida-Demertzis, K., Demertzis, P., Vassos, D., & Stavropoulou, E. (2011). Chemical and microbiological characterization of artisan inoculants used for the fermentation of traditional dairy products in Epirus area (Greece). *Anaerobe*, 17(6), 354–357.
- Voidarou, C., Tzora, A., Skoufos, I., Vassos, D., Galogiannis, G., Alexopoulos, A., & Bezirtzoglou, E. (2007). Experimental effect of ozone upon some indicator bacteria for preservation of an ecologically protected watery system. *Water, Air, and Soil Pollution*, 181(1–4), 161–171.
- Voidarou, C., Vassos, D., Rozos, G., Alexopoulos, A., Plessas, S., Tsinas, A., & Bezirtzoglou, E. (2011). Microbial challenges of poultry meat production. *Anaerobe*, 17(6), 341–343.
- Voidarou, X., Alexopoulos, A., Plessas, S., & Bezirtzoglou, E. (2009). Antibiotic profile of common pathogens related to food safety and health. *Ege Akademik Bakış Dergisi*, 9(3), 961–967.

- Vryzas Z., Papadakis N.E., Papadopoulou-Mourkidou E., (2002). Microwave-Assisted Extraction (MAE)-Acid Hydrolysis of Dithiocarbamates for Trace Analysis in Tobacco and Peaches. *Journal Agricultural & Food Chemistry* 50, 2220-2226.
- Vryzas Z., Papadakis, E.N., Oriakli, K., Moysiadis, T.P., Papadopoulou-Mourkidou E., (2012). Biotransformation of atrazine and metolachlor within soil profile and changes in microbial communities. *Chemosphere*, 89, 1330-1338.
- Vryzas Z., Papadakis, E.N., Vassiliou, G., Papadopoulou-Mourkidou E., (2012). Occurrence of pesticides in transboundary aquifers of North-eastern Greece. *Science of the Total Environment*, 441, 41-48.
- Vryzas Z., Papadopoulou-Mourkidou E., (2002). Determination of Triazine and Chloroacetanilide Herbicides in Soils by Microwave-Assisted Extraction (MAE) Coupled to Gas Chromatographic Analysis with Either GC-NPD or GC-MS. *Journal Agricultural & Food Chemistry* 50, 5026-5033.
- Vryzas Z., Papadopoulou-Mourkidou E., Soulios G., Prodromou K., (2007). Exploration of factors affecting adsorption of atrazine and its conversion products DEA, DIA, HA and metolachlor in surface and subsurface soils of a river basin in Greece. *European Journal of Soil Science* 58, 1186-1199.
- Vryzas Z., Tsaboula A., Papadopoulou-Mourkidou E., (2007). Determination of alachlor, metolachlor, and their acidic metabolites in soils by microwave-assisted extraction (MAE) combined with solid phase extraction (SPE) coupled with GC-MS and HPLC-UV analysis. *Journal of Separation Science* 30, 2529-2538.
- Vryzas, Z. (2016). The plant as metaorganism and research on next-generation systemic pesticides - prospects and challenges. *Frontiers in Microbiology*, 7, 1968.
- Vryzas, Z., Alexoudis, C., Vassiliou, G., Galanis, K., Papadopoulou-Mourkidou, E., (2011). Determination of aquatic risk assessment of pesticide residues in riparian drainage canals in northeastern Greece. *Ecotoxicology and Environmental Safety* 74, 174-181.
- Vryzas, Z., Papadakis, E.N., Papadopoulou-Mourkidou E., (2012). Leaching of Br⁻, metolachlor, alachlor, atrazine, deethylatrazine and deisopropylatrazine in clayey vadose zone: A field scale experiment in north-east Greece. *Water Research*, 46, 1979-1989.
- Vryzas, Z., Vassiliou, G., Alexoudis, C., Papadopoulou-Mourkidou, E., (2009). Spatial and temporal distribution of pesticide residues in surface waters in northerneastern Greece. *Water Research* 43, 1-10.
- Zafeiriou E, Petridis K., Karelakis C., Arabatzis G. (2016). Optimal combination of energy crops under different policy scenarios; The case of Northern Greece. *Energy Policy*. Volume 96, 607-616.
- Zafeiriou E. Karelakis C. (2016). Income volatility of energy crops: the case of rapeseed. *Journal of Cleaner Production*, Volume 122, 113–120.
- Zafeiriou E., Arabatzis G. and Koutroumanidis T. (2011). "The fuelwood market in Greece: An empirical approach Renewable and Sustainable Energy Reviews. Vol 15, Issue 6, August 2011, Pages 3008-3018.

- Zafeiriou E., Arabatzis G. and Koutroumanidis T. 2012 The round wood market in Greece: An empirical approach. *Forest Systems*. 21(1)31-41.
- Zafeiriou E., Arabatzis G., Sariannidis N. and Sofios S. 2012. Non linearities and chaos in stock price behavior of Greek oil sector: The case of Hellenic Petroleum S.A. *African Journal of Business Management*, 6(28), Pages, 8435-8445.
- Zafeiriou E., Koutroumanidis T., 2011. "Nonlinearities in the price behaviour of dairy products". *Journal of Engineering Science and Technology Review (jestr.org)* 4(3), 261-265.
- Zafeiriou E., Sariannidis N., (2011). "Nonlinearities in the price behaviour of agricultural products: The case of cotton". *International Journal of Food, Agriculture & Environment (JFAE)* 2011, Vol. 9, Issue 2, pages 551-555.
- Zafeiriou E., Sofios S. and Koutroumanidis Th., 2011. "Water Management and Economic Growth; A Macroeconomic Model". *Journal of Environmental Protection and Ecology (JEPE)*. Vol 12(3A) pgs.1563-1574. ISSN 1311-5065,
- Zafeiriou E., Sofios S. and Arabatzis G. (2009). "An empirical study of the Theory of Purchasing Power Parity in the transition European Economies: The case of Czech Republic". "Επιθεώρηση Οικονομικών Επιστημών – Review of Economic Sciences", 15, pp. 141 – 152.
- Zafeiriou, C. Karelakis., N. Sariannidis. (2013). Validity of PPP for Producer Meat Prices in EU; Some Evidence. *Procedia Economics and Finance*, Vol. 5, 819–826.
- Zafeiriou, E., Mallidis, I., Galanopoulos, K., Arabatzis, G. 2018. Greenhouse Gas Emissions and Economic Performance in EU Agriculture: An Empirical Study in a Non-Linear Framework. *Sustainability*, 10(11): 3837
- Zafeiriou, E. (2013). Optimisation of water pricing in the Greek agricultural sector. *International Journal of Green Economics*, 7(4), 348-357.
- Zafeiriou, E., & Azam, M. (2017). CO₂ emissions and economic performance in EU agriculture: Some evidence from Mediterranean countries. *Ecological indicators*, 81, 104-114.
- Zafeiriou, E., Arabatzis, G., Tampakis, S., & Soutsas, K. (2014). The impact of energy prices on the volatility of ethanol prices and the role of gasoline emissions. *Renewable and Sustainable Energy Reviews*, 33, 87-95.
- Zafeiriou, E., Karanikola, P., Tampakis, S., & Tampakis, A. (2019). Residents' Perceptions on Socioeconomic Impacts of a Wetland Project; The Case of Lake Karla. *INTERNATIONAL JOURNAL OF ECOLOGICAL ECONOMICS & STATISTICS*, 40(1), 1-15.
- Zafeiriou, E., Karelakis, C., Malesios Ch., Koutroumanidis Th. (2014). Market and economic development in Bulgaria. Springer Verlag, Special Issue, «Economic Crisis in Europe and the Balkans: Problems and Prospects, 211-227.
- Zafeiriou, E., Katrakilidis, C., & Pegiou, C. (2019). Consumer Confidence on Heating Oil Prices: An Empirical Study of their Relationship for European Union in a Nonlinear Framework. *European Research Studies*, 22(1), 68-95.

- Zamioudis, C., and Pieterse, C.M.J. (2012). Modulation of host immunity by beneficial microbes. *Molecular Plant-Microbe Interactions*, 25, 139-150.
- Zamioudis, C., Hanson, J., and Pieterse, C.M.J. (2014). β -Glucosidase BGLU42 is a MYB72-dependent key regulator of rhizobacteria-induced systemic resistance and modulates iron deficiency responses in *Arabidopsis* roots. *New Phytologist*, 204, 368-379.
- Zamioudis, C., Korteland, J., van Pelt, J.A., Dombrowski, N., Bai, Y., Hanson, J., van Verk, M.C., Ling, H-Q., Schulze-Lefert, P., and Pieterse, C.M.J. (2015). Rhizobacterial volatiles and photosynthesis-related signals coordinate MYB72 in *Arabidopsis* roots during onset of induced systemic resistance and iron deficiency responses. *Plant Journal*, 84, 308-322.
- Zamioudis, C., Mastranesti, P., Dhonukshe, P., Blilou, I., and Pieterse, C.M.J. (2013). Unraveling root developmental programs initiated by beneficial *Pseudomonas* bacteria. *Plant Physiology*, 162, 304-318.
- Zouzoulas D., Koutroubas S.D., Vassiliou G. and Vardavakis E. 2009. Effects of ozone fumigation on cotton (*Gossypium hirsutum* L.) morphology, anatomy, physiology, yield and qualitative characteristics of fibers. *Environmental and Experimental Botany* 67(1):293-303.
- Αλεξόπουλος Α., Ι. Δετοράκης, Ε. Δετοράκης, Ο. Παγωνοπούλου, Γ. Κροκιδάς. Ατυχήματα σε παιδιά σχολικής ηλικίας στην πόλη των Πατρών κατά τα έτη 2000 και 2003. *Παιδιατρική*, 69, 278-285, Αυγ 2006.
- Κουκουλάκης, Π.Χ., Πασχαλίδης, Χ., Χατζησαββίδης, Χ., Παπαδόπουλος, Αρ., & Καββαδίας, Β. (2005). Η λίπαση του καλαμποκιού (*Zea mays* L.) με άζωτο και ψευδάργυρο: II. Επίδραση στην κατανομή του N, P, K και Zn στα φύλλα, τα στελέχη, τους σπάδικες και τον καρπό. *Γεωτεχνικά Επιστημονικά Θέματα*, 16, 31-46.
- Μπάρλας Π., Ι. Χατζηπαπάς, Α. Μπίας, Α. Αλεξόπουλος. Περιγεννητική θνησιμότητα στην πόλη των Πατρών και της ευρύτερης περιοχής από το 1985-1992. *Εφηβική Γυν. Αναπαρ. Εμμηνόπ.* 1995, 7(2):142-146.
- Ntanos D.A., S.D. Koutroubas, D. Katsantonis and N. Philippou. Resistance of rice varieties to the fungus *Pyricularia oryzae* under field conditions. 2002. *Agricultural Research* 25(1): 29-36. (In Greek with English abstract).
- Tamoutsidis E, Papadopoulos I, Tokatlidis I, Zotsis S, Mavropoulos Th, 2002. Wet sewage sludge effect on soil properties and element content of leaf and root vegetables. *Journal of Plant Nutrition*, 25(9):1941-1955.
- Tsantopoulos Georgios, Dimitra Tsoulakaki, Stilianos Tampakis, Christos Karelakis and Spyridon Mamalis. (2013). Alternative crops – problems and prospects: A comparative research of landowners' views in the prefectures of Rodopi and Evros. *Procedia Technology*, Volume 8, 300–305.
- Ταμουτσίδης, Ε., Ι. Τοκατλίδης, Ι. Τσιάλτας, Κ. Τζάλης 2002. Κατανομή των ιχνοστοιχείων Mn, Fe, Zn στα υπέργεια τμήματα φυτών μαλακού σίτου. (ΓΕΩΤΕΧΝΙΚΑ ΕΠΙΣΤΗΜΟΝΙΚΑ ΘΕΜΑΤΑ,13 (2): 52-56).

Τοκατλίδης Ι., 2000. Αξιολόγηση υβριδίων καλαμποκιού που δημιουργήθηκαν απουσία ανταγωνισμού σε συνθήκες κανονικής σποράς. (ΓΕΩΤΕΧΝΙΚΑ ΕΠΙΣΤΗΜΟΝΙΚΑ ΘΕΜΑΤΑ, 11: 356-362).

Τοκατλίδης, Ι., Μ. Κούτσικα – Σωτηρίου. 1997. Συσχέτιση της απόδοσης και άλλων γνωρισμάτων μεταξύ διαλογών των καθαρών σειρών καλαμποκιού Mo17 και B73 και των υβριδίων τους (Γεωπονικά, τεύχος 370, Ιούλιος - Αύγουστος 1997)

Σκερπάνη Φ., Ε. Γιαννοπούλου, Α. Αλεξόπουλος, Μ.Ε. Μαραγκουδάκης. Συγκριτική μελέτη προσδιορισμού αλκοόλης με την χρήση αναπνευστικής μεθόδου και αέριας χρωματογραφίας στο αίμα. Ιατρική 2002, 81(5): 423-428